BRANDT

SAFETY DATA SHEET

1. Identification

Product identifier Manni-Plex for Small Grains

Other means of identification

Product code 28125

Recommended use Agriculture / Horticulture - Micronutrient - Refer to Product Label

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameBrandt Consolidated, Inc.Address2935 South Koke Mill Road

Springfield, IL 62711

United States

Telephone Corporate Office 1-217-547-5800

Website www.brandt.co E-mail www.brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number Not available.

CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-3900 Virgin Islands 1-800-424-3900 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statementCauses skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Toxic to aquatic life

with long lasting effects.

Precautionary statement

Prevention Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves. Wear

eye/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: Manni-Plex for Small Grains
486 Version #: 04 Revision date: 03-12-2015 Issue date: 03-13-2014

16.43% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 16.43% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Cupric Nitrate		3251-23-8	5 - < 10*
Manganese Nitrate		10377-66-9	3 - < 5*
Zinc Nitrate		7779-88-6	3 - < 5*
Disodium Octaborate Tetrahydrate		12008-41-2	1 - < 3*
Urea		57-13-6	1 - < 3*
Other components below reportable levels	ì		70 - < 80

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special

treatment needed **General information** Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

the chemical

During fire, gases hazardous to health may be formed.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Special protective equipment

Specific hazards arising from

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters

Fire-fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

486 Version #: 04 Revision date: 03-12-2015 Issue date: 03-13-2014

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	
Manganese Nitrate (CAS 10377-66-9)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limi	t Values		
Components	Туре	Value	Form
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
,	TWA	2 mg/m3	Inhalable fraction.
Manganese Nitrate (CAS 10377-66-9)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Cupric Nitrate (CAS 3251-23-8)	TWA	1 mg/m3	Dust and mist.
Manganese Nitrate (CAS 10377-66-9)	STEL	3 mg/m3	Fume.
,	TWA	1 mg/m3	Fume.
US. AIHA Workplace Envir	onmental Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
ogical limit values	No biological exposure limits noted for the ingredient(s).		
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
vidual protection measures	s, such as personal protective equipment		
Eye/face protection	Face shield is recommended. Wear safety		

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate chemical resistant gloves.

Material name: Manni-Plex for Small Grains

Skin protection

Other

Hand protection

Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Aqueous solution.

Physical state Liquid.
Form Liquid.
Color Blue
Odor None.

Odor threshold Not available.

o**H** 3 - 5

Salt-Out / Crystallization Temp 35 °F (1.7 °C)

Melting point/freezing point 32 °F (0 °C) estimated Initial boiling point and boiling 212 °F (100 °C) estimated

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

14 miniability minit - 10wei

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

Relative density 1.16 - 1.22 g/cm3

Solubility(ies)

Solubility (water) 100 %

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not available.

Not available.

Not available.

Other information

Density 1.16 - 1.22 g/cm3

Percent volatile 70.74 % estimated

pH in aqueous solution 4.7 - 6.7 (10% Solution)

Pounds per gallon 9.7 - 10.1 lb/gal Specific gravity 1.16 - 1.22

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid

Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decompositionNo hazardous decomposition products are known.

products

Material name: Manni-Plex for Small Grains

11. Toxicological information

Information on likely routes of exposure

Expected to be a low ingestion hazard. Ingestion Prolonged inhalation may be harmful. Inhalation

Skin contact Causes skin irritation.

Causes serious eye irritation. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Manni-Plex for Small Grains ((CAS Mixture)	
Acute		
Oral		
LD50	Mouse	5437.8276 mg/kg estimated
	Rat	8121.1206 mg/kg estimated
Other		
LD50	Rat	93053.7344 mg/kg estimated
Components	Species	Test Results
Cupric Nitrate (CAS 3251-23-	-8)	
Acute		
Oral		
LD50	Rat	940 mg/kg
Disodium Octaborate Tetrahy	/drate (CAS 12008-41-2)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Guinea pig	5300 mg/kg
	Rat	> 2000 mg/kg
		2 g/kg
Urea (CAS 57-13-6)		
Acute		
Oral		
LD50	Rat	8471 mg/kg
	Sheep	28500 mg/kg
Zinc Nitrate (CAS 7779-88-6)		
Acute		
Oral		
LD50	Mouse	241.3 mg/kg
	Rat	1400 mg/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Material name: Manni-Plex for Small Grains

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not available. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. Accumulation in aquatic **Ecotoxicity**

organisms is expected.

Product		Species	Test Results
Manni-Plex for Small	Grains (CAS Mixtur	e)	
Aquatic			
Crustacea	EC50	Daphnia	3.3843 mg/l, 48 hours estimated
Fish	LC50	Fish	10.407 mg/l, 96 hours estimated
Components		Species	Test Results
Cupric Nitrate (CAS 3	251-23-8)		
Aquatic			
Crustacea	EC50	Water flea (Moina dubia)	0.037 - 0.044 mg/l, 48 hours
Fish	LC50	Winter flounder (Pleuronectes americanus)	0.057 - 0.1061 mg/l, 96 hours
Urea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours
Zinc Nitrate (CAS 777	(9-88-6)		
Aquatic			
Fish	LC50	Minnow (Phoxinus phoxinus)	2.7 - 3.7 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Partition coefficient n-octanol / water (log Kow)

Urea -2.11

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Material name: Manni-Plex for Small Grains

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

General Not DOT regulated in domestic (USA ground) transportation in package sizes less than 1,176 lbs

(118 gallons); 533 kg (466 liters). The DOT transportation information below is for shipments with

package sizes equal to or exceeding this value. IMDG Regulated Marine Pollutant.

DOT

Basic shipping requirements:

UN3082 **UN number**

Proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Cupric Nitrate RQ = 1176 lbs, Zinc Nitrate

RQ = 23073 lbs)

9 **Hazard class** Ш Packing group

Environmental hazards

Marine pollutant Yes

Special precautions Additional information: Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155 203 Packaging non bulk 241 Packaging bulk

Notes

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging sizes exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous

material endorsement is also not required on a Commercial Drivers License.

IATA

UN number UN3082

UN proper shipping name Transport hazard class(es) Environmentally hazardous substances, liquid, n.o.s.

9 Class Subsidiary risk 9 Label(s) Ш **Packing group Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Forbidden.

Cargo aircraft only Forbidden.

IMDG

UN number UN3082

UN proper shipping name Transport hazard class(es)

Environmentally hazardous substances, liquid, n.o.s.

9 Subsidiary risk 9 Label(s) Ш Packing group

Environmental hazards

Marine pollutant Yes

Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Material name: Manni-Plex for Small Grains

General information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 1,176 lbs (118 gallons); 533 kg (466 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value. IMDG Regulated Marine Pollutant.

DOT; IATA; IMDG



Marine pollutant



DOT; IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Cupric Nitrate (CAS 3251-23-8)

Manganese Nitrate (CAS 10377-66-9)

Listed.

Zinc Nitrate (CAS 7779-88-6)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Material name: Manni-Plex for Small Grains

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Cupric Nitrate	3251-23-8	5 - < 10	
Manganese Nitrate	10377-66-9	3 - < 5	
Zinc Nitrate	7779-88-6	3 - < 5	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Nitrate (CAS 10377-66-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Cupric Nitrate (CAS 3251-23-8) Zinc Nitrate (CAS 7779-88-6)

US. New Jersey Worker and Community Right-to-Know Act

Cupric Nitrate (CAS 3251-23-8)

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Manganese Nitrate (CAS 10377-66-9)

Zinc Nitrate (CAS 7779-88-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Cupric Nitrate (CAS 3251-23-8) Zinc Nitrate (CAS 7779-88-6)

US. Rhode Island RTK

Cupric Nitrate (CAS 3251-23-8) Manganese Nitrate (CAS 10377-66-9) Zinc Nitrate (CAS 7779-88-6)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 03-13-2014

 Revision date
 03-12-2015

Version # 04

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

486 Version #: 04 Revision date: 03-12-2015 Issue date: 03-13-2014