

BRANDT[®]

Effective Copper Fungicide Disease Control

Nordox 30/30 WG

With the Nordox Difference!





Nordox 30/30 WG


Unique Retention & Rain-Fastness

Superior Wettability and Suspending Ability

Nordox 30/30 WG is a new product from Nordox AS, the same company that manufactures Nordox and Nordox 75 WG. Nordox 30/30 WG is a unique hollow bead formulation of cuprous oxide that also contains zinc oxide. Each metal has a metallic equivalent of 30%, which is the highest analysis for a copper/zinc product.


Nordox 75 WG and 30/30 WG

Bacterial Blight control in walnuts. Percent leaf drop and dropped nuts



Nordox 75 WG and Nordox 30/30 WG

Phomopsis control on grapes. Leaf and shoot ratings




The Nordox Difference

- Hollow bead formulation
- Dust free
- Easy wettability and suspendability
- Superior rainfastness
- Caution signal word
- Listed by the Organic Materials Review Institute (OMRI) for use in organic production
- Shorter restricted-entry interval (REI) than competitive products: 12 hours vs. 24 hours
- Less restrictive Personal Protective Equipment required for applicators and handlers = no protective eyewear required
- No 7-day requirement for eye-flush equipment or oral notification

Nordox 75 WG and 30/30 WG

WG Leaf Curl and Shot Hole control ratings on peach.



Label Comparison of Copper-Zinc Fungicides

Label Statement	Nordox 30/30 WG	Cop-O-Zinc	Kocide 20/20
Analysis	Metallic Copper Equivalent 30% Metallic Zinc Equivalent 30%	Metallic Copper Equivalent 25% Metallic Zinc Equivalent 25%	Metallic Copper Equivalent 20% Metallic Zinc Equivalent 20%
Copper / Zinc Source	Cuprous Oxide, Zinc Oxide	Basic Copper Sulfate, Zinc Oxide	Copper Hydroxide, Basic Zinc Salts
OMRI	Yes	No	No
Signal Word	Caution	Warning	Danger
Hazards to Humans and Domestic Animals	Causes moderate eye irritation	Causes substantial but temporary eye injury. Avoid breathing dust	Corrosive. Causes irreversible eye damage. Avoid breathing dust.
Personal Protective Equipment	1. Long sleeved shirt and long pants. 2. Shoes plus socks. 3. Chemical-resistant gloves.	1. Long sleeved shirt and long pants. 2. Shoes plus socks. 3. Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride. 4. Protective eyewear.	1. Long sleeved shirt and long pants. 2. Shoes plus socks. 3. Chemical-resistant gloves made of any waterproof material such as polyvinyl chloride, nitrile rubber or butyl rubber. 4. Protective eyewear.
Restricted Entry Interval	12 Hours	24 Hours	24 Hours <i>Additional Requirements for 7 days after application: Eye-flush container, Oral notification regarding eye hazard, PPE</i>
Crops	Almonds, Apples, Apricots, Avocados, Cherries, Citrus, Filberts, Grapes, Peaches, Pears, Nectarines, Quince, Pistachios, Plums, Prunes, Walnuts	Almonds, Apples, Apricots, Cherries, Citrus, Peaches, Pears, Nectarines, Walnuts	Almond, Apricots, Celery, Citrus, Peach, Pear, Nectarines, Walnut
Additional Labeling	Frost Injury Protection	Zinc and Copper Deficiency Spray	None

Label Information

CROPS	DISEASES
Almonds	Brown Rot Blossom Blight, Coryneum Blight (Shot Hole), Bacterial Canker, Blossom Blast (Pseudomonas)
Apples	Anthrachnose, Apple Scab, Bacterial Canker, Blossom & Shoot Blast, Fire Blight
Apricots	Brown Rot Blossom Blight, Coryneum Blight (Shot Hole), Bacterial Canker, Blossom Blast (Pseudomonas)
Avocados	Anthrachnose, Cercospora Spot, Scab
Cherries	Brown Rot Blossom Blight, Coryneum Blight (Shot Hole), Bacterial Canker, Dead Bud (Blossom Blast)
Citrus	Greasy Spot, Melanose, Spot Anthracnose (Scab), Brown Rot, Septoria Spot, Citrus Canker
Grapes	Black Rot, Powdery Mildew, Phomopsis, Downy Mildew
Peaches, Nectarines	Brown Rot Blossom Blight, Bacterial Blast (Pseudomonas), Coryneum Blight (Shot Hole), Leaf Curl, Bacterial Spot, Scab
Pears, Quince	Fire Blight, Blossom Blast (Pseudomonas)
Pistachios	Alternaria Late Blight, Botrytis Blight, Botrytisphaeria Panicle & Shoot Blight, Septoria Leaf Blight
Plums, Prunes	Brown Rot Blossom Blight, Coryneum Blight (Shot Hole), Bacterial Blast (Pseudomonas), Bacterial Canker
Walnuts	Walnut Blight

Active Ingredient

Cuprous Oxide (Cu ₂ O)*	33.8%
Other Ingredients**	66.2%
Total	100.0%

* Metallic copper equivalent: 30%

** Metallic zinc equivalent: 30%; derived from zinc oxide

EPA Reg. No. 48142-7

BRANDT Consolidated, Inc
P.O. Box 35000
Fresno, California 93745 USA
559 499 2100
www.brandt.co

BRANDT[®]