

Safety data sheet

PENDULUM® 2G HERBICIDE

Revision date : 2006/08/02
Version: 1.0

Page: 1/7
(30128278/MDS_CPA_US/EN)

1. Substance/preparation and company identification

Company
BASF CORPORATION
100 Campus Drive
Florham Park, NJ 07932

24 Hour Emergency Response Information
CHEMTREC: 1-800-424-9300
BASF HOTLINE: 1-800-832-HELP

Substance number: 000000063445
Molecular formula: C(13)H(19)N(3)O(4)
Molecular weight: 281.35 g/mol
Chemical family: aniline derivative
Synonyms: pendimethalin (active ingredient)

2. Composition/information on ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Chemical name</u>
40487-42-1	2.0 %	pendimethalin (active ingredient)
	98.0 %	Proprietary ingredients

3. Hazard identification

Emergency overview

CAUTION: HARMFUL IF ABSORBED THROUGH SKIN.
Moderately irritating to the eyes.
Avoid contact with the skin, eyes and clothing.

Potential health effects

See Product Label for additional precautionary statements.

Primary routes of exposure

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Relatively nontoxic after single ingestion. Slightly toxic after short-term skin contact.

Irritation:

May cause moderate but temporary irritation to the eyes. May cause moderate irritation to the skin.

Sensitization:

Skin sensitizing effects were not observed in animal studies.

Safety data sheet

PENDULUM® 2G HERBICIDE

Revision date : 2006/08/02

Page: 2/7

Version: 1.0

(30128278/MDS_CPA_US/EN)

Repeated dose toxicity:

Information on: crystalline silica

This product may contain greater than 0.1% crystalline silica.

Repeated exposure to high concentrations results in silicosis, a lung disease characterized by coughing, difficult breathing, wheezing, scarring of the lungs, and repeated, non-specific chest illnesses.

Potential environmental effects

Aquatic toxicity:

Very toxic (acute effect) to fish.

Very toxic (acute effect) to aquatic invertebrates.

Very toxic (acute effect) to aquatic plants.

Terrestrial toxicity:

Acutely harmful to terrestrial organisms.

Acutely harmful to honeybees.

4. First-aid measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

5. Fire-fighting measures

Suitable extinguishing media:

foam, dry extinguishing media, carbon dioxide, water spray

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides

If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Safety data sheet

PENDULUM® 2G HERBICIDE

Revision date : 2006/08/02

Version: 1.0

Page: 3/7

(30128278/MDS_CPA_US/EN)

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage incompatibility:

General: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

8. Exposure controls and personal protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Safety data sheet

PENDULUM® 2G HERBICIDE

Revision date : 2006/08/02
Version: 1.0

Page: 4/7
(30128278/MDS_CPA_US/EN)

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and chemical properties

Form:	free flowing fine granules
Odour:	fatty-like, moderate odour
Colour:	yellow
pH value:	5.3
Bulk density:	1,130 - 1,280 kg/m ³

10. Stability and reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage.

Hazardous reactions:

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Decomposition products:

Safety data sheet

PENDULUM® 2G HERBICIDE

Revision date : 2006/08/02

Page: 5/7

Version: 1.0

(30128278/MDS_CPA_US/EN)

Hazardous decomposition products: nitrogen oxides
carbon monoxide, carbon dioxide

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen oxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. If product is heated above decomposition temperature hazardous fumes may be released.

Corrosion to metals:

Corrosive effects to metal are not anticipated. Not corrosive to: mild steel

11. Toxicological information

Acute toxicity

Oral:

LD50/rat: > 5,000 mg/kg

Inhalation:

No data available.

Dermal:

LD50/rat: > 2,000 mg/kg

Skin irritation:

rabbit: moderately irritating

Eye irritation :

rabbit: moderately irritating

Sensitization:

guinea pig: Skin sensitizing effects were not observed in animal studies.

Genetic toxicity:

Information on: pendimethalin

No mutagenic effect was found in various tests with microorganisms and mammals.

Carcinogenicity:

Information on: pendimethalin

In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

In long-term studies in rats the substance induced thyroid tumors.

A marked decrease in body weight gain and an increase in benign thyroid proliferative lesions were observed in the lifetime rat study at the highest dose tested.

The substance is not considered to pose a carcinogenic risk at low human exposure levels.

Reproductive toxicity:

Information on: pendimethalin

The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity/teratogenicity:

Information on: pendimethalin

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Safety data sheet

PENDULUM® 2G HERBICIDE

Revision date : 2006/08/02
Version: 1.0

Page: 6/7
(30128278/MDS_CPA_US/EN)

12. Ecological information

Information on: pendimethalin
Acute and prolonged toxicity to fish:
Rainbow trout/LC50 (96 h): 0.89 mg/l

Information on: pendimethalin
Acute toxicity to aquatic invertebrates:
Daphnia magna/EC50 (48 h): 0.977 mg/l

Information on: pendimethalin
Toxicity to aquatic plants:
green algae/EC50 (72 h): 0.0081 mg/l

Information on: pendimethalin
Other terrestrial non-mammals:
mallard duck/LD50: 1,421 mg/kg
Acutely harmful to terrestrial organisms.
Honey bee/LD50: 49.8 ug/bee
Acutely harmful to terrestrial organisms.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated.
Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law.
If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport information

Reference Bill of Lading

15. Regulatory information

Federal Regulations

OSHA hazard category: IARC 1, 2A or 2B carcinogen, NTP listed carcinogen, Chronic target organ effects reported, OSHA PEL established, ACGIH TLV established

SARA hazard categories (EPCRA 311/312): Acute, Chronic

SARA 313:

Safety data sheet

PENDULUM® 2G HERBICIDE

Revision date : 2006/08/02

Page: 7/7

Version: 1.0

(30128278/MDS_CPA_US/EN)

<u>CAS Number</u>	<u>Chemical name</u>
872-50-4	N-Methylpyrrolidone
40487-42-1	pendimethalin

State regulations

CA Prop. 65:

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

<u>CAS Number</u>	<u>Chemical name</u>
107-06-2	1,2-dichloroethane
872-50-4	N-Methylpyrrolidone
1317-95-9	Tripoli
14808-60-7	Quartz (SiO ₂)

16. Other information

Refer to product label for EPA registration number.

Local contact information

Product Stewardship
919 547-2000

PENDULUM® 2G HERBICIDE is a registered trademark of BASF Corporation or BASF AG
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET