&
PROFESSIONALLY
MANAGED
LANDSCAPING

PERMANENT CROPS

Target Usage/ Application

FOLIAR OR SOIL NUTRIENT

IRRIGATION SYSTEM APPLICATION

Applications can be made through certain irrigation systems including, but not limited to, low volume systems and typical agricultural sprinkler systems. The specific injection equipment and irrigation system must conform to all federal, state and local regulations pertaining to the fertilization of plants through an irrigation system. Accurate and properly calibrated injection equipment and an irrigation system that is operated at maximum distribution uniformity will help avoid plant injury and/or product ineffectiveness. For best results, with the exception of center pivot and lateral systems, apply this product toward the end of the irrigation set. Allow sufficient time for the product to be flushed completely out of the entire irrigation system prior to turning off the irrigation water. Contact your Certified Crop Advisor for specific recommendations for your area.

PRECAUTIONARY STATEMENT

CAUTION: KEEP OUT OF REACH OF CHILDREN, HARMFUL IF SWALLOWED As with all materials, user should exercise precaution to avoid potential phytotoxicity including foliar burning. Precaution is advised if applying this product in combination with other materials, a jar test for compatibility is recommended before tank mixing with other products. The pH of any final spray solution should be checked and an appropriate amount of the solution should be applied to a small area of the intended crop to ensure plant compatibility prior to the planned application. User assumes full responsibility to ensure product, equipment and plant compatibilities. PERSONAL PROTECTIVE EQUIPMENT RECOMMENDED. CONSULT MATERIAL SAFETY DATA SHEET FOR FURTHER INFORMATION. In the event of a spill, clean-up promptly using trained personnel and pre-planned procedures and/or contact CHEMTREC at 1-800-424-9300 for assistance.

CONDITION OF SALE

Seller warrants that this product conforms to its chemical description as stated on the label. The product is reasonably fit for the purpose stated on the label when used in accordance with the label directions and instructions under normal conditions of use. No warranty of merchantability or fitness for a particular purpose, expressed or implied, extends to the use of this product contrary to label instructions or under abnormal conditions or under conditions not foreseeable to the seller. Buyer assumes the risk of any such use.

"DO NOT APPLY NEAR WATER, STORM DRAINS, OR DRAINAGE DITCHES. DO NOT APPLY IF HEAVY RAIN IS EXPECTED. APPLY THIS PRODUCT ONLY TO YOUR LAWN/GARDEN, AND SWEEP ANY PRODUCT THAT LANDS ON THE DRIVEWAY, SIDEWALK, OR STREET, BACK ONTO YOUR LAWN/GARDEN."

GUARANTEED ANALYSIS

Derived from Boric Acid

GENERAL RECOMMENDATIONS

This product is manufactured and designed for foliar and soil application to prevent or correct deficiencies that usually occur when plants are small and may limit crop growth and yields. It is designed for foliar, row or broadcast application and is water soluble and non-toxic to plants when applied as directed. This product is a proprietary formulation that has been specifically reacted with emulsion polymerization that provides a wide range of mixing ease with other fertilizers or chemicals.

DIRECTIONS FOR USE

This product can be included in a regular spray program on crops. The rate of application will depend on the crop, stage of growth, and severity of deficiency. The maximum recommended rates are for mature, full-sized plants. Reduce the rates proportionately when spraying smaller plants.

SHAKE WELL BEFORE USING. DO NOT APPLY UNDILUTED. Apply using a spray method in an adequate amount of water that will provide complete coverage of the plants. Use of non-ionic wetting agent may improve spray coverage of certain hard to wet plants.

WARNING: This product contains boron and the use of this material on any crops other than those recommended may result in serious injury to the crops(s).

APPLICATION RATES

Field Crops and Vegetables: Apply 8 to 32 fl. oz. per acre during periods of rapid growth or nutritional stress. The applications may be repeated two (2) or more times throughout the growing season.

Tree Crops: Make an application of 8 to 32 fl. oz. per acre after the beginning of active growth. The application may be repeated at 2 to 4 week intervals throughout the growing season.

Grapes and Berries: Make an application of 8 to 32 fl. oz. per acre after active growth begins. The applications may be repeated at intervals of one week or more throughout the vegetative growth period.

Turf: Apply 0.2 to 0.7 fl oz. per 1000 sq. ft. during periods of active growth. Ornamental Trees, Shrubs and Flowering Plants: Dilute as a rate of 2 to 16 fl. oz. in ten (10) or more gallons of water and spray to complete coverage. Air Application: 6-18 ounces per acre in 3-8 gallons of water.

STORAGE AND HANDLING

Store in a cool, dry place. Keep container tightly closed and out of direct sunlight during storage for extended amounts of time. Do not add water or other material to the container. Do not contaminate water, food, or feed by storage or disposal. **Store above 32°F**.



Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm