# **Safety Data Sheet**

Issue Date: 17-Nov-2000 Revision Date: 20-Jun-2014 Version 1

1. IDENTIFICATION

Product Identifier

Product Name PolyAmine Micro-Pak Organic

Other means of identification

**SDS #** VLS-043

Other Information Factory Formula: 1215.

Recommended use of the chemical and restrictions on use

Recommended Use Fertilizer.

Details of the supplier of the safety data sheet

**Supplier Address** 

Verdesian Life Sciences, U.S., LLC.

12222 Ave 352 Visalia, CA 93291

**Emergency Telephone Number** 

**Company Phone Number** Business Phone: (800) 868-6446

Fax Phone: (559) 625-9255

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

AppearanceDark brown liquidPhysical StateLiquidOdorCitrus

Classification

Serious eye damage/eye irritation Category 2

Signal Word Warning

**Hazard Statements** 

Causes serious eye irritation



# **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

## <u>Precautionary Statements - Response</u>

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

•

Revision Date: 20-Jun-2014

#### Other Hazards

Very toxic to aquatic life with long lasting effects

## **Unknown Acute Toxicity**

0.995% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Citric Acid	77-92-9	1-10
Zinc sulfate	7733-02-0	1.4
Manganese Sulfate Monohydrate	10034-96-5	1.2
Magnesium Sulfate heptahydrate	10034-99-8	<1
Ferrous Sulfate	7782-63-0	<1
Copper sulfate	7758-98-7	<1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

#### **First Aid Measures**

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

**Skin Contact** Wash off immediately with plenty of water.

**Inhalation** Remove to fresh air. If breathing becomes difficult, call a physician.

**Ingestion** Drink plenty of water or milk immediately. Follow with milk of magnesia, beaten eggs, or

vegetable oil. Do not induce vomiting. Call a physician.

## Most important symptoms and effects

Symptoms May cause skin and eye irritation. May cause irritation to the mucous membranes and

upper respiratory tract. Ingestion may result in nausea, vomiting, diarrhea, blood in vomit and stools, burning pain in mouth and throat, abdominal pain, lethargy, confusion, edema, leukocytosis, hyperglycemia, acidosis, shock, liver and kidney damage, and other gastrointestinal and neuralgic symptoms and damage. Ingestion by a child of more than

60 ml (2 ounces) or by an adult of more than 150 ml (5 ounces) may be fatal.

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

## **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

## **Specific Hazards Arising from the Chemical**

Non-flammable solution.

Hazardous Combustion Products Zinc oxide. Oxides of sulfur.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental Precautions** See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Carefully neutralize with a dilute alkaline solution of either baking soda (sodium

bicarbonate), soda ash, or lime. Clean up in accordance with all applicable regulations.

Revision Date: 20-Jun-2014

# 7. HANDLING AND STORAGE

## Precautions for safe handling

Advice on Safe Handling Wash thoroughly after handling. Use personal protection recommended in Section 8. Avoid

contact with skin, eyes or clothing. Avoid breathing mists.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store at 32°F -

105°F. Protect from direct sunlight. Store away from incompatible materials. Keep out of the

reach of children.

Incompatible Materials Strong alkalis.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Citric Acid 77-92-9	-	15 mg / m3 (Total)	-
Manganese Sulfate Monohydrate	TWA: 0.2 mg/m <sup>3</sup> Mn	(vacated) Ceiling: 5 mg/m <sup>3</sup>	IDLH: 500 mg/m <sup>3</sup> Mn
10034-96-5		Ceiling: 5 mg/m <sup>3</sup> Mn	TWA: 1 mg/m <sup>3</sup> Mn
			STEL: 3 mg/m³ Mn
Copper sulfate	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and
7758-98-7			mist
			TWA: 1 mg/m <sup>3</sup> Cu dust and mist
Ferrous Sulfate	TWA: 1 mg/m <sup>3</sup> Fe	(vacated) TWA: 1 mg/m <sup>3</sup> Fe	TWA: 1 mg/m <sup>3</sup> Fe
7782-63-0	_		_

#### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety goggles.

**Skin and Body Protection** Wear rubber or neoprene gloves. Coveralls, apron or other equipment should be worn to

minimize skin contact.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

**Physical State** Liquid

**Appearance** Dark brown liquid Odor Citrus

Color Dark brown **Odor Threshold** Not determined

Property Values Remarks • Method

Hq 2.74

**Melting Point/Freezing Point** Not available Boiling Point/Boiling Range 100 °C / 212 °F

Flash Point Not available **Evaporation Rate** Not known Flammability (Solid, Gas) n/a-liquid **Upper Flammability Limits** Not available **Lower Flammability Limit** Not available **Vapor Pressure** Not known Vapor Density Not known **Specific Gravity** Not determined Water Solubility Approx. 98% Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not available **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** 

Not determined 9.679 wt/gal

# 10. STABILITY AND REACTIVITY

#### Reactivity

Density

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

Mildly corrosive to common metals.

## **Conditions to Avoid**

Keep out of reach of children.

#### **Incompatible Materials**

Strong alkalis.

## **Hazardous Decomposition Products**

Sulfur oxides. Zinc oxide.

# 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes serious eye irritation.

**Skin Contact** Avoid contact with skin.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Citric Acid 77-92-9	= 3000 mg/kg (Rat)	-	-
Zinc sulfate 7733-02-0	= 500 mg/kg (Rat)	-	-
Copper sulfate 7758-98-7	= 300 mg/kg (Rat)	= 1000 mg/kg (Rabbit)	-

## Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

**Numerical measures of toxicity** 

Not determined

**Unknown Acute Toxicity** 0.995% of the mixture consists of ingredient(s) of unknown toxicity.

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Very toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Citric Acid		1516: 96 h Lepomis	inioi coi gamenio	120: 72 h Daphnia magna
77-92-9		macrochirus mg/L LC50		mg/L EC50
11.02.0		static		g/2 2000
Zinc sulfate	64.8: 72 h Chlorella vulgaris	0.162: 96 h Oncorhynchus	EC50 = 3.45 mg/L 15 min	0.75: 48 h Daphnia magna
7733-02-0	mg/L EC50 2.4: 96 h	mykiss mg/L LC50	EC50 = 40.5 mg/L 30 min	mg/L EC50 0.538 - 0.908: 48
	Chlorella vulgaris mg/L EC50	flow-through 0.03 - 0.05: 96	EC50 = 476 mg/L 5 min	h Daphnia magna mg/L
	0.056: 72 h	h Oncorhynchus mykiss	EC50 > 700 mg/L 16 h	EC50 Static
	Pseudokirchneriella	mg/L LC50 semi-static 0.34 -		
	subcapitata mg/L EC50	0.93: 96 h Oncorhynchus		
	static	mykiss mg/L LC50 static		
		0.218 - 0.42: 96 h		
		Pimephales promelas mg/L		
		LC50 flow-through 0.06: 96 h		
		Pimephales promelas mg/L		
		LC50 static 0.23 - 0.48: 96 h		
		Pimephales promelas mg/L		
		LC50 0.168 - 0.25: 96 h		
		Pimephales promelas mg/L		
		LC50 semi-static 0.15: 96 h		
		Cyprinus carpio mg/L LC50		
		semi-static 16.85 - 27.18: 96		
		h Cyprinus carpio mg/L LC50		
		static 3 - 4.6: 96 h Lepomis		
		macrochirus mg/L LC50		
		flow-through 3.55 - 6.32: 96		
		h Lepomis macrochirus mg/L		
		LC50 static 0.63: 96 h		
		Poecilia reticulata mg/L		
		LC50 49.23 - 64.16: 96 h		
		Poecilia reticulata mg/L		
		LC50 semi-static 0.48 - 1.72:		
		96 h Poecilia reticulata mg/L		
		LC50 static		
Copper sulfate		0.1: 96 h Oncorhynchus		0.0058 - 0.0073: 48 h
7758-98-7		mykiss mg/L LC50		Daphnia magna mg/L EC50 Static

# Persistence/Degradability Not determined.

# **Bioaccumulation**

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
Citric Acid	-1.72
77-92-9	

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

#### California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Zinc sulfate	Toxic
7733-02-0	
Copper sulfate	Toxic
7758-98-7	

## 14. TRANSPORT INFORMATION

Please see current shipping paper for most up to date shipping information, including Note

exemptions and special circumstances.

DOT Not regulated

IATA Not regulated

**IMDG** 

Marine Pollutant This product contains cupric sulfate which is listed as a DOT Marine Pollutant (49 CFR

172.101, Appendix B)

# 15. REGULATORY INFORMATION

#### International Inventories

Not determined

## US Federal Regulations

## **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Zinc sulfate	1000 lb		RQ 1000 lb final RQ
7733-02-0			RQ 454 kg final RQ
Ferrous Sulfate	1000 lb		RQ 1000 lb final RQ
7782-63-0			RQ 454 kg final RQ
Copper sulfate	10 lb		RQ 10 lb final RQ
7758-98-7			RQ 4.54 kg final RQ

## **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Zinc sulfate - 7733-02-0	7733-02-0	1.4	1.0
Manganese Sulfate Monohydrate - 10034-96-5	10034-96-5	1.2	1.0
Copper sulfate - 7758-98-7	7758-98-7	<1	1.0

#### **CWA (Clean Water Act)**

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc sulfate	1000 lb	X		Χ
7733-02-0 ( 1.4 )				
Ferrous Sulfate				X
7782-63-0 ( <1 )				
Copper sulfate	10 lb	X		X
7758-98-7 ( <1 )				

## **US State Regulations**

## **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Chemical Name	California Proposition 65
Zinc sulfate - 7733-02-0	X

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Zinc sulfate	X	X	X
7733-02-0			
Manganese Sulfate Monohydrate	X		X
10034-96-5			
Copper sulfate	X	X	X
7758-98-7			
Ferrous Sulfate		X	X
7782-63-0			

## **16. OTHER INFORMATION**

**Health Hazards** Instability NFPA **Flammability Special Hazards** Not determined Not determined Not determined Not determined **Health Hazards Flammability Physical Hazards Personal Protection HMIS** Not determined Not determined Not determined Not determined

Issue Date:17-Nov-2000Revision Date:20-Jun-2014Revision Note:New format

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**