



Nutrition Program for Potatoes

| Application Timing | Product | Application Rate |
|---------------------------------|---|-----------------------------------|
| Tuber Foundation | BRANDT® PLANT START | 1-2 qt/ac |
| 7-10 days after 1st application | MANNI-PLEX® K | 2-3 qt/ac |
| 7-10 days after 2nd application | MANNI-PLEX® FOLI-CAL® MANNI-PLEX® CAL-ZN MANNI-PLEX® ZN | 1 qt/ac 1-2 qt/ac 2-3 qt/ac |
| 7-10 days after 3rd application | MANNI-PLEX® N-BORON® | 1.5 pt/ac |



| Product | Analysis/ Description |
|-----------------------|--|
| BRANDT® PLANT START | 8-27-2 plus 8% N , 27% Phosphate, 2% Potash. |
| MANNI-PLEX® K | 20% Potash. Formulated with BRANDT MANNI-PLEX® technology. |
| MANNI-PLEX® FOLI-CAL® | 5% N, 10% Ca. Formulated with BRANDT MANNI-PLEX® technology. |
| MANNI-PLEX® CAL-ZN | 6% N, 6% Ca, 3% Zn. Formulated with BRANDT MANNI-PLEX® technology. |
| MANNI-PLEX® Zn | 3% N, 7% Zn. Formulated with BRANDT MANNI-PLEX® technology. |
| MANNI-PLEX® N-BORON® | 5-0-0 plus 3.3% B. Formulated with BRANDT MANNI-PLEX® technology. |

This information is to be used only as a guide. Local conditions such as soil properties, agronomic practices, weather and varieties should be taken into account when interpreting this table. The suggested foliar applications are designed to compliment your nutrition program. They do not replace your normal fertilizing practices. Manni-Plex® and N-Boron® are registered trademarks of Brandt Consolidated, Inc.

For more information, contact BRANDT at 800 300 6559 or email info@brandt.co

Brandt Consolidated, Inc.
www.BRANDT.co

