

SAFETY DATA SHEET

Brandt Smart Zn

1. Identification Product identifier

Other means of identification			
Product code	29003BRN		
Recommended use	Agriculture - Foliar Micronutrient - Refer to product label Agriculture / Horticulture EC Fertilizer Class E.2.1 (CD 2003/2003, CD 2004/73/EC, CR 1907/2006, CR 987/2008).		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	Brandt Consolidated, Inc. 2935 South Koke Mill Road Springfield, IL 62711 United States		
Telephone	Corporate Office	1-217-547-58	300
Website	www.brandt.co		
E-mail	msds@brandt.co		
Contact person Emergency phone number	EH&S / Regulatory Department Not available.		
	CHEMTREC (24 hours):		
	USA, Canada, Puerto Rico	1-800-424-39	
	Virgin Islands International Maritime	1-800-424-39 +1 (703) 527-	
		1 (103) 521-	3007
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 4
	Skin corrosion/irritation		Category 2
	Serious eye damage/eye irritatio	on	Category 1
Environmental hazards	Hazardous to the aquatic enviro hazard	nment, acute	Category 2
	Hazardous to the aquatic enviro long-term hazard	nment,	Category 2
OSHA defined hazards	Not classified.		
Label elements			
		2	
Signal word	Danger		
Hazard statement	Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.		
Precautionary statement			
Prevention	Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves. Wear eye/face protection.		
Response	If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.		
Storage	Store away from incompatible materials.		
Material name: Prandt Smart Zn			

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	1.22% of the mixture consists of component(s) of unknown acute oral toxicity. 19.72% of the

1.22% of the mixture consists of component(s) of unknown acute oral toxicity. 19.72% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 19.72% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Zinc Sulfate		7733-02-0	10 - < 20*
Urea		57-13-6	5 - < 10*
Disodium Octaborate Tetrahydrate		12008-41-2	1 - < 3*
Other components below reportable levels			70 - < 80

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Should not be released into the environment.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.	
Conditions for safe storage	Store in original tightly closed container. Store away from incompatible materials (see Section 10	

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
,	TWA	2 mg/m3	Inhalable fraction.
-	ronmental Exposure Level (WEEL) Guides		
Components	Туре	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.
Biological limit values	No biological exposure limits noted for the i	ngredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
ndividual protection measure Eye/face protection	s, such as personal protective equipment Wear safety glasses with side shields (or g	oggles) and a face shiel	d.
Skin protection Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
9. Physical and chemica	l properties		
Appearance	Aqueous solution.		
Physical state	Liquid.		

Color	Clear colorless or nearly colorless
Odor	Not available.
Material name: Brandt Smart Zn	

Liquid.

Form

Odor threshold	Not available.
рН	1.5 - 2.5 (1% Solution)
Salt-Out / Crystallization Temp	< 10 °F (< -12.2 °C)
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	1.23 - 1.29 g/cm3
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.23 - 1.29 g/cm³
Percent volatile	64.28 % estimated
Pounds per gallon	10.5 (typical)
Shelf life	> 4 years
Specific gravity	1.23 - 1.29
40 Ctability and sectivity	

10. Stability and reactivity

Reactivity	Reacts violently with strong alkaline substances. This product may react with reducing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Reacts violently with strong alkaline substances. This product may react with reducing agents. Hazardous polymerization does not occur.
Conditions to avoid	Do not mix with other chemicals. Contact with incompatible materials.
Incompatible materials	Bases. Reducing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Harmful if swallowed.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Acute toxicity	Harmful if swallowed.		
Product	Species	Test Results	
Brandt Smart Zn (CAS Mixture)			
Acute			
Dermal			
LD50	Rat	12500 mg/kg estimated	
Oral			
LD100	Mouse	2772.7273 mg/kg estimated	
LD50	Rat	3744.0259 mg/kg estimated	
		163.9344 g/kg estimated	
Other			
LD100	Mouse	1327.2727 mg/kg estimated	
LD50	Mouse	581.8182 mg/kg estimated	
Components	Species	Test Results	
Disodium Octaborate Tetrahydr	ate (CAS 12008-41-2)		
Acute			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral		"	
LD50	Guinea pig	5300 mg/kg	
	Rat	> 2000 mg/kg	
		2 g/kg	
Jrea (CAS 57-13-6)			
Acute			
Oral			
LD50	Rat	8471 mg/kg	
	Sheep	28500 mg/kg	
Zinc Sulfate (CAS 7733-02-0)			
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg	
Oral			
LD50	Rat	623 mg/kg	
* Estimates for product may	be based on additional component da	ata not shown.	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye rritation	Causes serious eye damage.		
Respiratory or skin sensitizat	ion		
Respiratory sensitization	Not available.		
Skin sensitization	This product is not expected to ca	use skin sensitization.	
Germ cell mutagenicity	No data available to indicate produmutagenic or genotoxic.	No data available to indicate product or any components present at greater than 0.1% are	
Carcinogenicity	This product is not considered to b	e a carcinogen by IARC, ACGIH, NTP, or OSHA.	
OSHA Specifically Regula Not listed.	ted Substances (29 CFR 1910.1001-	1050)	
Reproductive toxicity	This product is not expected to ca	use reproductive or developmental effects.	
Specific target organ toxicity single exposure	- Not classified.		
Specific target organ toxicity repeated exposure	Not classified.		

Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity

Toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Product		Species	Test Results
Brandt Smart Zn (CAS Mixtur	re)		
Aquatic			
Crustacea	EC50	Daphnia	39.6433 mg/l, 48 hours estimated
Fish	LC50	Fish	69.6677 mg/l, 96 hours estimated
Components		Species	Test Results
Urea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours
Zinc Sulfate (CAS 7733-02-0)		
Aquatic			
Algae	LC50	Green algae (Chlorella vulgaris)	5 mg/l, 24 hours
Crustacea	EC50	Rotifer (Philodina acuticornis)	0.3 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.162 mg/l, 96 hours
* Estimates for product may b	be based on add	litional component data not shown.	
sistence and degradability	No data is available on the degradability of this product.		
accumulative potential	No data avail	able.	
Partition coefficient n-octai	nol / water (log		
Urea		-2.11	
oility in soil	No data avail		
er adverse effects		erse environmental effects (e.g. ozone dep locrine disruption, global warming potential	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

General

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 6,250 lbs (596 gallons); 2,834 kg (2,256 liters).

NOTE: DOT Corrosive to aluminum and/or steel (not skin). Not regulated if transported by motor vehicle or rail car in a packaging that will not react dangerously or be degraded by this material [See 49 CFR Sect 173.154(d)].

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License. DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

DOT


	Basic shipping requirements:		
	UN number	UN3082	
	Proper shipping name	Environmentally hazardous substances, liquid, n.o.s. (Zinc Sulfate RQ = 6250 lbs)	
	Hazard class	9	
	Packing group	III	
	Environmental hazards		
	Marine pollutant	Yes	
	Special precautions	Read safety instructions, SDS and emergency procedures before handling.	
	Additional information:		
	Special provisions	8, 146, 335, IB3, T4, TP1, TP29	
	Packaging exceptions	155	
	Packaging non bulk	203	
	Packaging bulk	241	
IAT	A		
	UN number	UN3264	
	UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Mineral Acid)	
	Transport hazard class(es)		
	Class	8	
	Subsidiary risk	-	
	Label(s)	8	
	Packing group	III	
	Environmental hazards	Yes	
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	
	Other information		
	Passenger and cargo	Forbidden.	
	aircraft		
	Cargo aircraft only	Forbidden.	
IMD	G		
	UN number	UN3264	
	UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Mineral Acid)	
	Transport hazard class(es)		
	Class	8	
	Subsidiary risk	-	
	Packing group		
	Environmental hazards		
	Marine pollutant	Yes	
	EmS	F-A, S-B	
	Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.	


Not DOT regulated in domestic (USA ground) transportation in package sizes less than 6,250 lbs (596 gallons); 2,834 kg (2,256 liters).

NOTE: DOT Corrosive to aluminum and/or steel (not skin). Not regulated if transported by motor vehicle or rail car in a packaging that will not react dangerously or be degraded by this material [See 49 CFR Sect 173.154(d)].

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License. DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

DOT









Marine pollutant



15. Regulatory information

US federal regulations	This product is a "Hazardou Standard, 29 CFR 1910.12 All components are on the	00.	ned by the OSHA Hazard Commun	nication
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)			
Not regulated.				
CERCLA Hazardous Substa				
Zinc Sulfate (CAS 7733-		Listed.		
SARA 304 Emergency relea	se notification			
Not regulated. OSHA Specifically Regulate	od Substances (29 CFR 191)) 1001-1050)		
Not listed.				
Superfund Amendments and Re	authorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No			
SARA 302 Extremely hazar	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Zinc Sulfate		7733-02-0	10 - < 20	
Other federal regulations				
Clean Air Act (CAA) Section	n 112 Hazardous Air Polluta	nts (HAPs) List		
Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental Release	Prevention (40 CFR	68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations				
US. Massachusetts RTK - S	ubstance List			
Zinc Sulfate (CAS 7733-	02-0)			

US. New Jersey Worker and Community Right-to-Know Act

Disodium Octaborate Tetrahydrate (CAS 12008-41-2) Zinc Sulfate (CAS 7733-02-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Zinc Sulfate (CAS 7733-02-0)

US. Rhode Island RTK

Zinc Sulfate (CAS 7733-02-0)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	02-24-2015
Version #	01
Disclaimer	The information in the sheet was written based on the best knowledge and experience currently available.