

1. Identification

Product identifier	Manni-Plex Fe	
Other means of identification		
Product code	28127	
Recommended use	Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.	
Recommended restrictions	Refer to product label.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Brandt Consolidated, Inc.	
Address	2935 South Koke Mill Road Springfield, IL 62711 United States	
Telephone	Corporate Office	1-217-547-5800
Website	www.brandt.co	
E-mail	msds@brandt.co	
Contact person	EH&S / Regulatory Department	
Emergency phone number	CHEMTREC (24 hours): USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning	
Hazard statement	Causes skin irritation. Causes serious eye irritation. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.	
Precautionary statement		
Prevention	Wash thoroughly after handling. Wear protective gloves. Avoid release to the environment. Wear eye/face protection.	
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.	
Storage	Store away from incompatible materials.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	

Supplemental information 20.47% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 20.47% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ferrous Sulfate, Monhydrate		17375-41-6	20 - < 30*
Urea		57-13-6	10 - < 20*
Other components below reportable levels			60 - < 70

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause redness and pain. Severe eye irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	<p>Large Spills: This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>

Environmental precautions Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Avoid contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value
Ferrous Sulfate, Monhydrate (CAS 17375-41-6)	TWA	1 mg/m ³

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Ferrous Sulfate, Monhydrate (CAS 17375-41-6)	TWA	1 mg/m ³

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m ³	Total particulate.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection not required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Aqueous solution.

Physical state Liquid.

Form Liquid.

Color Brown to Green.

Odor Sweet.

Odor threshold Not available.

pH 2.5 - 3.5

Salt-Out / Crystallization Temp 32 estimated

Melting point/freezing point Not available.

Initial boiling point and boiling range Not available.

Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	1.23 g/cm ³ (typical)
Solubility(ies)	
Solubility (water)	100 %
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Percent volatile	54.43 % estimated
pH in aqueous solution	5 - 7 (1% Solution)
Pounds per gallon	10.3 lb/gal (typical)
VOC (Weight %)	6.74 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. Severe eye irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Manni-Plex Fe (CAS Mixture)		
Acute		
<i>Dermal</i>		
LD50	Sprague-Dawley rat	8130.0815 mg/kg, 14 days estimated

Product	Species	Test Results
<i>Inhalation</i>		
LC50	Rat	3257.1428 mg/l, 4 Hours estimated
<i>Oral</i>		
LD50	Mouse	6006.8574 mg/kg estimated
	Rat	62841.2461 mg/kg estimated
	Sprague-Dawley rat	8130.0815 mg/kg, 14 days estimated
<i>Other</i>		
LD50	Mouse	1155.7296 mg/kg estimated

Components	Species	Test Results
Ferrous Sulfate, Monhydrate (CAS 17375-41-6)		
Acute		
<i>Dermal</i>		
LD50	Sprague-Dawley rat	> 2000 mg/kg, 14 days
<i>Oral</i>		
LD50	Dog	600 mg/kg
	Mouse	1520 mg/kg
	Sprague-Dawley rat	> 2000 mg/kg, 14 days
<i>Other</i>		
LD50	Mouse	289 mg/kg
Urea (CAS 57-13-6)		
Acute		
<i>Oral</i>		
LD50	Rat	8471 mg/kg
	Sheep	28500 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Product	Species	Test Results
Manni-Plex Fe (CAS Mixture)		
Aquatic		
Crustacea	EC50 Daphnia	252.1506 mg/l, 48 hours estimated

Product		Species	Test Results
Fish	LC50	Fish	50.8709 mg/l, 96 hours estimated
Components		Species	Test Results
Ferrous Sulfate, Monhydrate (CAS 17375-41-6)			
Aquatic			
Crustacea	EC50	Amphipod (<i>Crangonyx pseudogracilis</i>)	114 - 211 mg/l, 48 hours 81.8 - 117 mg/l, 96 hours
Fish	LC50	Rotifer (<i>Philodina acuticornis</i>)	11.3 mg/l, 48 hours
		Brook trout (<i>Salvelinus fontinalis</i>)	0.48 mg/l, 96 hours
		Chameleon goby (<i>Tridentiger trigonocephalus</i>)	86.8 mg/l, 24 hours
		Mozambique tilapia (<i>Tilapia mossambica</i>)	47 mg/l, 96 hours
		Western mosquitofish (<i>Gambusia affinis</i>)	20 mg/l, 4 days
Urea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (<i>Daphnia magna</i>)	3910 mg/l, 48 hours
Fish	LC50	Carp (<i>Leuciscus idus melanotus</i>)	> 10000 mg/l, 48 hours
		Guppy (<i>Poecilia reticulata</i>)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (<i>Rasbora heteromorpha</i>)	12000 mg/l, 96 hours
		Mozambique tilapia (<i>Tilapia mossambica</i>)	590 - 730 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 4065 lbs (395 gallons); 1844 kg (1495 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value.

DOT

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Ferrous Sulfate, Monhydrate RQ = 4065 lbs)

Transport hazard class(es)

Class 9
Subsidiary risk -
Label(s) 9

Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155

Packaging non bulk 203

Packaging bulk 241

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.

IATA

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Ferrous Sulfate, Monhydrate)

Transport hazard class(es)

Class 9
Subsidiary risk -

Packing group III

Environmental hazards Yes

ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft Allowed.

Cargo aircraft only Allowed.

IMDG

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Ferrous Sulfate, Monhydrate)

Transport hazard class(es)

Class 9
Subsidiary risk -

Packing group III

Environmental hazards

Marine pollutant Yes

EmS F-A, S-F


Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

General information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 4065 lbs (395 gallons); 1844 kg (1495 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value.

DOT; IATA; IMDG

Marine pollutant



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ferrous Sulfate, Monhydrate (CAS 17375-41-6) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Ferrous Sulfate, Monhydrate (CAS 17375-41-6)

US. New Jersey Worker and Community Right-to-Know Act

Ferrous Sulfate, Monhydrate (CAS 17375-41-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Ferrous Sulfate, Monhydrate (CAS 17375-41-6)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 08-21-2014

Revision date 01-14-2016

Version # 02

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its own tests of the Product to determine suitability of the Product for user's particular use.

Revision Information

Product and Company Identification: Product and Company Identification
 Composition / Information on Ingredients: Ingredients
 Accidental release measures: Environmental precautions
 Physical & Chemical Properties: Multiple Properties
 Transport Information: Material Transportation Information
 Transport information: General information
 Other information, including date of preparation or last revision: Disclaimer