

Brandt® Saf-T-Add

Micronized Spreader / Sticker

Principal Functioning Agents:

Proprietary Blend of Paraffin Oil and Emulsifiers 80%
Constituents Ineffective as Spray Adjuvant 20%
Total 100%

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a doctor for treatment advice.

IF SWALLOWED: Immediately call a doctor for treatment advice. Do not induce vomiting unless told to do so by the doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call an ambulance then give artificial respiration, preferably mouth-to-mouth if possible. Call a doctor for further treatment advice.

Have the product container or label with you when calling a doctor or going for treatment.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long sleeved shirt, long pants, shoes plus socks, protective eyewear and chemical resistant gloves made of any waterproof material when mixing or handling concentrate. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

DIRECTIONS FOR USE

BRANDT SAF-T-ADD is a blend of nonionic surfactants and narrow range horticultural oils especially formulated to aid in the spreading and sticking of crop protection chemicals to foliage. This product can be used with a broad range of pesticides including herbicides, insecticides and fungicides. Because it is micronized, BRANDT SAF-T-ADD is less phytotoxic to crops, and increases the contact activity of the spray providing uniform coverage of leaf surfaces. Better contact between the pesticide and foliage results in better disease, insect, and weed control.

Net Contents:

10 Liters per bottle
Packed 2 x 10 Liters



15034BRN672SA

2014-10

BRANDT®

Manufactured by:
Brandt Consolidated, Inc.
2935 South Koke Mill Road
Springfield, Illinois 62711 USA
www.brandt.co
(217) 547-5840

Brandt[®] Saf-T-Add

BRANDT SAF-T-ADD may be used on agricultural, forestry, turf and ornamental, industrial and non-cropland sites.

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with BRANDT SAF-T-ADD. Use according to the most restrictive label directions for each product in any tank mix.

COMPATIBILITY: BRANDT SAF-T-ADD is compatible with most pesticides. However, if the desired combination has not been previously used, a compatibility test is recommended.

MIXING: Shake well before using. Fill spray tank $\frac{1}{2}$ full of water and begin agitation. Add pesticides as directed by label or in the following sequence and continue filling tank: (1) Dry flowables or water dispersing granules, (2) Wettable powders, (3) Flowables, (4) Solutions, (5) Emulsifiable concentrates. Add BRANDT SAF-T-ADD last and continue agitation until spray solution is completely mixed. Continuous agitation of finished spray is recommended. If spray solution has been allowed to stand, thoroughly agitate and remix before application.

RECOMMENDATIONS: Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, condition of foliage, etc. Also, higher rates than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume, except when used as a diluent for basal bark applications of herbicides.

GROUND: Use 1-4 liters per hectare. Exercise caution with selective herbicides where selectivity depends upon wetting the weeds but not the crop.

For improved efficacy with all tank mixes, use at least 500 mL per hectare when finished spray volume is less than 75 liters per hectare.

For backpack or hand held sprayers, use 10 mL per liter of finished spray solution.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in original container away from children, animals, foods, feeds and seeds. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. Decontaminated containers may also be disposed of in a sanitary landfill.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.