Brandt[®] High K

Water Soluble Fertilizer

Guaranteed Analysis

Total Nitrogen (N)	8.0%
8.0% Nitrate nitrogen	
Soluble Potash (K_20)	50.0%
Sulfur (S)	3.5%

Derived from potassium nitrate, potassium chloride and potassium sulfate. F76

General Information

Foliar applications are used as a supplemental method of feeding to help correct nutrient defi-ciencies and to enhance crop quality and are not intended to replace a complete fertility program. Applications to actively growing plants produce the best results. Avoid foliar applications of this product when plants are suffering from moisture stress or during periods of high temperature and low humidity.

Mixing and Handling Instructions

Compatibility: BRANDT HIGH K may be applied separately or in conjunction with most pesticides and with other fertilizers. The addition of wetting agents often enhances nutrient uptake. DO NOT use with basic metal sulfates, strongly alkaline materials (such as hydrated lime and lime sulfur), or spray oils. A compatibility test is recommended if the desired combination has not been previously used. Tank mixtures with copper-based products can be phytotoxic due to increased solubility of copper. Before general applications, apply the spray solution to a small test area of the foliage to determine any undesirable phytotoxic effects.

Mixing: Dissolve the recommended amount of this product into approximately one half the required water. Note: 2 lbs. of this product per 100 gallons equals 1 oz./3 gal. or 1 Tbsp./1 gal. Slowly add the remaining water while maintaining constant agitation. Water quality and temperature will

Net Weight: 50 lb / 22.6 kg 2016-04 (GHS)

31066BRN050 BT/LOT #

8-0-50

determine maximum solubility. Warmer water temperatures increase solubility and shorten dissolving time. As this product goes into solution, the water temperature will drop. Therefore it is important when preparing concentrated solutions to allow for this temperature drop to insure that the fertilizer is completely dissolved. DO NOT exceed 2 lbs. BRANDT HIGH K per gallon of finish spray.

Rate Recommendations

Unless otherwise specified, use recommended rates in the following water volumes based on application method. Use sufficient spray volume to insure thorough coverage and wetting needed for optimum results.

- Dilute: Greater than 100 gallons/acre. Concentrate: 10-100 gallons/acre.
- Aerial: 5-20 gallons/acre.

Fertigation: Apply this product at rates necessary to provide the desired levels of nutrients. Finish application at least one-half hour before end of irrigation schedule.

BRANDT HIGH K is recommended for use on (but not limited to) the following crops. Rates other than those suggested below may be applied depending on crop conditions and cultural practices.

Field and Vegetable Crops (such as alfalfa, beans, broccoli, carrots, cauliflower, corn, cotton, cucumbers, lettuce, onions, peas, peppers, sorghum, sugarbeets, tomatoes and wheat): Apply 5-15 lbs./acre when plants are 3 to 4 weeks old and repeat as needed.

Fruit and Nut Crops (such as almonds, apples, apricots, avocados, cherries, citrus, nectarines, peaches, pears, pecans, plums, prunes and walnuts): Apply 5-15 lbs./acre early in the growing season when leaves have emerged and repeat as needed. Do not use in late season sprays where

OXIDIZER

BRAND

fruit color and maturity is delayed by nitrogen applications. Do not use on Golden Delicious apples during slow drying conditions.

Vine and Berry Crops (such as bush-berries, caneberries, grapes, hops and strawberries): Apply 5-15 lbs./acre in early spring or when deficiency symptoms first appear and repeat as needed.

Nursery, Greenhouse, Turf (Commercial) and Landscape Plantings: For general use as a foliar spray, soil drench or transplant solution, apply 2-4 lbs. per 100 gallons of water as needed. For constant feeding, apply 4-12 oz. per 100 gallons of water.



WARNING: Causes serious eye irritation. Harmful if swallowed. May intensify fire; oxidizer.

Precautionary Statements: Keep away from heat. Keep away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles. In case of fire, use appropriate media to extinguish. Wear eye/face protection and protective gloves/clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. First Aid: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists and easy to do. Continue rinsing. If eye irritation persists, get medical attention. *If swallowed*: Rinse mouth. Call a doctor if you feel unwell. **Storage and Disposal**: Do not contaminate water, food or feed by storage or disposal. Keep out of reach of children. Store away from incompatible materials. Dispose of contents/container in accordance with local regulations.

Warranty: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particu-lar product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.

> Guaranteed by: Brandt Consolidated, Inc. 2935 South Koke Mill Road Springfield, Illinois 62711 USA www.brandt.co 800 300 6559

UN 1479, Oxidizing Solid, N.O.S. (Potassium Nitrate), 5.1, PG III