RRAND

SAFETY DATA SHEET

1. Identification

Product identifier Brandt GH Copper

Other means of identification

Product code 20003

Recommended use Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

Recommended restrictions Refer to product label. Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Brandt Consolidated, Inc. Company name **Address** 2935 South Koke Mill Road

Springfield, IL 62711

United States

1-217-547-5800 **Telephone** Corporate Office

Website www.brandt.co E-mail msds@brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number CHEMTREC (24 hours):

> USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1 Germ cell mutagenicity Category 2 Reproductive toxicity Category 2 Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 1

Hazardous to the aquatic environment, Category 1

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Causes skin irritation. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic **Hazard statement**

life with long lasting effects.

Precautionary statement

Prevention Wear eye/face protection. Wash thoroughly after handling. Avoid release to the environment.

Wear protective gloves.

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. Collect spillage.

Material name: Brandt GH Copper

Store away from incompatible materials. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name Common name and synonyms		CAS number	%	
Cupric Sulfate, pentahydrate		7758-99-8	20 - < 30*	
Acetic Acid		64-19-7	1 - < 3*	
Propylene glycol		57-55-6	< 0.1*	
Other components below reporta	ble levels		70 - < 80	

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause redness

and pain. Severe eye irritation.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical Special protective equipment During fire, gases hazardous to health may be formed.

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Brandt GH Copper SDS US 2/10

Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Value

Value

15 ppm 10 ppm

1 mg/m3

0.2 mg/m3

Value

1 mg/m3

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

US. ACGIH Threshold Limit Values

Occupational exposure limits

US. OSHA Table Z-1 Limits for	or Air Contaminants (29 CFR 1910.1000)
Components	Туре

Acetic Acid (CAS 64-19-7)	PEL	25 mg/m3
		10 ppm

Components	Туре	
Acetic Acid (CAS 64-19-7)	STEL	
	TWA	

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

Form

Fume.

Form

Dust and mist.

Dust and mist.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	. , po	7 41.410
Acetic Acid (CAS 64-19-7)	STEL	37 mg/m3
		15 ppm
	TWA	25 mg/m3
		10 ppm

TWA

TWA

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

7758-99-8)
US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

ComponentsTypeValueFormPropylene glycol (CASTWA10 mg/m3Aerosol.

Biological limit values

57-55-6)

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Material name: Brandt GH Copper 20003 Version #: 06 Revision date: 06-08-2016 Issue date: 07-31-2015 Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection not

required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Aqueous solution. **Appearance**

Physical state Liquid. **Form** Liquid. Color Brown.

Burnt caramel Odor **Odor threshold** Not available. Not available. pН < 32 °F (< 0 °C) Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point Does not flash **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density

1.25 g/cm3 (typical) Relative density

Solubility(ies)

Solubility (water) Miscible **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Pounds per gallon 10.4 lb/gal (typical)

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Contact with incompatible materials. Conditions to avoid

Strong oxidizing agents. Incompatible materials

Hazardous decomposition No hazardous decomposition products are known.

products

Material name: Brandt GH Copper 20003 Version #: 06 Revision date: 06-08-2016 Issue date: 07-31-2015

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

Severe eye irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results	
Brandt GH Copper			
<u>Acute</u>			
Dermal			
LD50	Rabbit	75714.2891 mg/kg estimated	
Inhalation			
LC50	Rat	814.2857 mg/l, 4 Hours estimated	
Oral			
LD100	Mouse	250 mg/kg estimated	
LD50	Rabbit	85714.2891 mg/kg estimated	
	Rat	4800 mg/kg estimated	
Other			
LD50	Mouse	37498.7266 mg/kg estimated	
	Rabbit	40 g/kg estimated	
Components	Species	Test Results	
Acetic Acid (CAS 64-19-7)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	1060 mg/kg	
Inhalation			
LC50	Guinea pig	5000 ppm, 1 Hours	
	Mouse	5620 ppm, 1 Hours	
	Rat	11.4 mg/l, 4 Hours	
Oral			
LD50	Mouse	4960 mg/kg	
	Rabbit	1200 mg/kg	
	Rat	3.31 g/kg	
Cupric Sulfate, pentahydrat	e (CAS 7758-99-8)		
<u>Acute</u>	,		
Oral			
LD100	Mouse	50 mg/kg	
LD50	Rat	960 mg/kg	
Propylene glycol (CAS 57-5	55-6)		
<u>Acute</u>			
Oral			
LD50	Dog	19 g/kg	
	Guinea pig	18.4 g/kg	
	Mouse	23.9 g/kg	

Material name: Brandt GH Copper

SDS US

20003 Version #: 06 Revision date: 06-08-2016 Issue date: 07-31-2015

Components	Species	Test Results
	Rabbit	18 g/kg
	Rat	30 g/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ

toxicity - single exposure

Specific target organ

Specific target organ toxicity - repeated

exposure

Not classified.

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results
Brandt GH Copper			
Aquatic			
Crustacea	EC50	Daphnia	39.4435 mg/l, 48 hours estimated
Fish	LC50	Fish	3.2988 mg/l, 96 hours estimated
Components		Species	Test Results
Acetic Acid (CAS 64-19	9-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	65 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	75 mg/l, 96 hours
Cupric Sulfate, pentah	ydrate (CAS 7758-	99-8)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.0058 - 0.0073 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	0.66 - 1.15 mg/l, 96 hours
Propylene glycol (CAS	57-55-6)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	29485 - 39339 mg/L 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Material name: Brandt GH Copper 20003 Version #: 06 Revision date: 06-08-2016 Issue date: 07-31-2015 Partition coefficient n-octanol / water (log Kow)

Acetic Acid -0.17 Propylene glycol -0.92

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate, pentahydrate RQ = 78.2),

MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 78.2 lbs (7.5 gallons); 35.5 kg (28.5 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value. DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.

IATA

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate, pentahydrate)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate, pentahydrate), MARINE

POLLUTANT

Transport hazard class(es)

Class

Subsidiary risk Label(s) Packing group Ш

Environmental hazards

Marine pollutant Yes

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT; IATA; IMDG



Marine pollutant



General information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 78.2 lbs (7.5 gallons); 35.5 kg (28.5 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetic Acid (CAS 64-19-7) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Cupric Sulfate, pentahydrate	7758-99-8	20 - < 30

Material name: Brandt GH Copper SDS US 8 / 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Acetic Acid (CAS 64-19-7) High priority

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Acetic Acid (CAS 64-19-7)

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

US. New Jersey Worker and Community Right-to-Know Act

Acetic Acid (CAS 64-19-7)

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

Propylene glycol (CAS 57-55-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Acetic Acid (CAS 64-19-7)

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

Propylene glycol (CAS 57-55-6)

US. Rhode Island RTK

Acetic Acid (CAS 64-19-7)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the government.

16. Other information, including date of preparation or last revision

 Issue date
 07-31-2015

 Revision date
 06-08-2016

Version # 06

Material name: Brandt GH Copper sps us

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.

Revision information

Hazard(s) identification: Supplemental information