

# Brandt® Super Wetter

Wetting Agent • Spreader • Penetrant

## Principal Functioning Agents:

Siloxane polyalkyleneoxide copolymer and polyalkyleneoxide. . . . . 100%

CA Reg. No. 48813-50009-AA

## DIRECTIONS FOR USE

BRANDT SUPER WETTER is a new generation surfactant based on organo-modified siloxane technology for use in pesticide spray applications. It is a highly effective, nonionic wetting agent/ spreader/ penetrant which may be used on agricultural, aquatic, forestry, turf and ornamental, industrial, structural and non-cropland sites. NOT FOR AQUATIC USE IN WASHINGTON.

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with BRANDT SUPER WETTER. Use according to the most restrictive label directions for each product in any tank mix.

**COMPATIBILITY:** BRANDT SUPER WETTER is compatible with most pesticides. However, if the desired combination has not been previously used, a compatibility test is recommended.

**MIXING:** Fill spray tank 3/4 full of water and begin agitation. Add products as directed by label or in the following sequence and continue filling tank: (1) Dry flowables or water dispersing granules, (2) Wettable powders, (3) Flowables, (4) Solutions, (5) Emulsifiable concentrates. Continue agitation until spray solution is completely mixed. Add the recommended amount of BRANDT SUPER WETTER. Minimal agitation of finished spray is recommended. For optimum results, use the spray solution within 36 hours after mixing. If spray solution has been allowed to stand, thoroughly agitate and remix before application. Thoroughly rinse the spray system with clean water after use to reduce corrosion.

**RECOMMENDATIONS:** Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, condition of foliage, etc. Also, higher rates than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume.

**As a Spray Adjuvant:** *With herbicides, defoliants, acaricides, insecticides, miticides, fungicides, plant growth regulators:* Apply at a rate of 3-16 fl.oz. per 100 gallons of spray solution. Use the higher rates with lower spray volumes. *For aerial applications:* Apply at a rate of 8-16 fl.oz. per 100 gallons of spray solution. *With dormant sprays for walnut blight:* Apply up to 64 fl.oz. per 100 gallons of spray solution to aid in penetration of plant tissue.



KEEP OUT OF REACH OF CHILDREN

**WARNING**

## PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**WARNING:** Causes serious eye irritation. Harmful if inhaled. Not for aerosol use. Wear protective eyewear, long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves made of any waterproof material when mixing or handling concentrate. Avoid breathing vapor. Use only outdoors or in a well-ventilated area. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

### ENVIRONMENTAL HAZARDS

Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

### FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or doctor if you feel unwell. If person is not breathing, call 911 and give artificial respiration.

**IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in original container away from children, animals, foods, feeds and seeds. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal.

**PRODUCT DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at [www.acrecycle.org](http://www.acrecycle.org). Decontaminated containers may also be disposed of in a sanitary landfill.

**WARRANTY:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.



Manufactured by:  
Brandt Consolidated, Inc.  
2935 South Koke Mill Road  
Springfield, Illinois 62711 USA  
[www.brandt.co](http://www.brandt.co)  
800 300 6559

2016-07 (GHS)

NET CONTENTS: \_\_\_\_ GALLONS / \_\_\_\_ LITERS