

2016-09

Section 1: Identification

Product identifier

Product Name • Brandt InsectStop EC 123

Synonyms
EPA Reg. No.: 89459-31-48813
Yellow to amber colored liquid.

Relevant identified uses of the substance or mixture and uses advised against

Recommended use • Insecticide.

Restrictions on use • KEEP OUT OF THE REACH OF CHILDREN. Avoid contact with eyes, skin and

clothing. Do not use or store near heat or open flame. Avoid release to the

environment. Do not take internally.

Details of the supplier of the safety data sheet

Manufacturer Brandt Consolidated, Inc.

2935 S. Koke Mill Road Springfield, IL 62711 Phone: 217-547-5800

United States

www.brandt.co

Emergency telephone number

Manufacturer (Transportation) • 1-800-424-9300 - CHEMTREC

Manufacturer (Transportation) • 1-703-527-3887 - Chemtrec - Outside US collect calls accepted

Section 2: Hazard Identification

United States (US)

According to: OSHA 29 CFR 1910.1200 HCS

Classification of the substance or mixture

OSHA HCS 2012 Aspiration 1

Flammable Liquids 4 Skin Irritation 2 Skin Sensitization 1

Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects



2016-09

Label elements **OSHA HCS 2012**

DANGER





Hazard statements · Causes skin irritation

May be fatal if swallowed and enters airways

May cause an allergic skin reaction

Combustible liquid

May cause drowsiness or dizziness

Precautionary statements

Prevention • Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

Avoid breathing dust, fume, gas, mist, vapors and/or spray.

Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.

Use only outdoors or in a well-ventilated area.

IF ON SKIN: Wash with plenty of soap and water. Response •

Specific treatment, see supplemental first aid information. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Do NOT induce vomiting.

In case of fire: Use appropriate media for extinction.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a

poison control center or doctor if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Storage/Disposal •

Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

Store in a well-ventilated place. Keep cool.

Store locked up.

Other hazards

OSHA HCS 2012

 This product is toxic to aquatic organisms, including fish and invertebrates. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Section 3 - Composition/Information on Ingredients

Substances

Material does not meet the criteria of a substance.



2016-09

Mixtures

Composition			
Chemical Name	Identifiers	%	
Pyrethrins	CAS:8003-34-7	1%	
Piperonyl butoxide	CAS :51-03-6	2%	
N-Octyl Bicyloheptene Dicarboximide	CAS :113-48-4	2.94%	
Distillates (petroleum), hydrotreated light	CAS :64742-47-8	93.93%	
Other ingredients	NDA	0.13%	

Section 4: First-Aid Measures

Description of first aid measures

Inhalation

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or doctor for further treatment advice.

Skin IF ON SKIN: Wash with plenty of soap and water. If irritation or rash occurs, get

medical advice/attention.

Eye IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion IF SWALLOWED: Immediately call a poison control center or doctor. Aspiration

hazard - if swallowed, do NOT induce vomiting.

Most important symptoms and effects, both acute and delayed

Aspiration hazard; causes skin irritation, may cause an allergic skin reaction in individuals with a sensitivity to piperonyl butoxide, may cause dizziness and/or drowsiness if inhaled. Refer to Section 11 - Toxicological Information.

Indication of any immediate medical attention and special treatment needed

Notes to Physician • Treat symptomatically and supportively.

Section 5: Fire-Fighting Measures

Extinguishing media

Suitable Extinguishing Media • LARGE FIRE: Water spray, fog or regular foam.

SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

Unsuitable Extinguishing

Media

Avoid heavy hose streams.



2016-09

Firefighting Procedures

• Do not allow fire fighting water to escape into waterways or sewers.

LARGE FIRES: Dike fire control water for later disposal; do not scatter the material.

LARGE FIRES: Move containers from fire area if you can do it without risk.

Stay upwind.

Ventilate closed spaces before entering. Do not breathe gas/fumes/vapor/spray.

Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

· Combustible liquid.

Containers may explode when heated.

Liquid will float and may re-ignite on surface of water.

Hazardous Combustion Products

Combustible liquid - may produce carbon dioxide and/or carbon monoxide.

Advice for firefighters

Wear positive pressure self-contained breathing apparatus (SCBA).

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions

Do not walk through spilled material. Ventilate enclosed areas. Wear appropriate

personal protective equipment, avoid direct contact.

Emergency Procedures

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ventilate closed spaces before entering. Avoid release into the environment.

Environmental precautions

LARGE SPILLS: Prevent entry into waterways, sewers, basements or confined areas.

Methods and material for containment and cleaning up

Containment/Clean-up Measures

Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal. All equipment used when handling the product must be grounded.

LARGE SPILLS: Dike far ahead of spill for later disposal. Stop leak if you can do it without risk.

Section 7 - Handling and Storage

Precautions for safe handling

Handling

 Keep away from fire - No Smoking. Avoid breathing fumes. Use only in well ventilated areas. Wear appropriate personal protective equipment, avoid direct contact.

Conditions for safe storage, including any incompatibilities

Storage

 Store locked up. Store in a cool/low-temperature, well-ventilated dry place away from heat and ignition sources. Keep from freezing. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F

Format: GHS Language: English (US)



2016-09

Incompatible Materials or Ignition Sources

Heat, sparks, open flame.

Other Information

See product label for additional information.

Section 8 - Exposure Controls/Personal Protection

Control parameters

Exposure Limits/Guidelines · No data available.

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Pyrethrins (8003-34-7)	TWAs	5 mg/m3 TWA	5 mg/m3 TWA	5 mg/m3 TWA

Exposure Limits Supplemental

ACGIH

Exposure controls

Engineering

• Use adequate ventilation to remove vapors (fumes, dust, etc.)

Measures/Controls

Personal Protective Equipment

Pictograms



Respiratory

. In case of insufficient ventilation, wear suitable respiratory equipment. Not required with normal use. However, mixers, loaders, applicators and other handlers must wear respiratory protection with P or R filters.

Eye/Face

· Wear chemical splash safety goggles.

Hands

· Wear appropriate gloves.

Skin/Body

· If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact.

Environmental Exposure

Controls

• Refer to Section 13 - Disposal Considerations.

[•]Pyrethrins (8003-34-7): TLV Basis - Critical Effects: (liver damage; lower respiratory tract irritation)



2016-09

Section 9 - Physical and Chemical Properties

Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Yellow to amber liquid.
Color	Yellow to amber.	Odor	Pleasant woodsy.
Odor Threshold	No data available		
General Properties		-	•
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	рН	No data available
Specific Gravity/Relative Density	6.62 lb/gal (0.79 g/cc)	Density	No data available
Water Solubility	Insoluble	Viscosity	No data available
Critical Temperature	No data available		
Volatility		_	•
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available		
Flammability	-		
Flash Point	196 °F(91.1111 °C)	UEL	No data available
LEL	No data available	Autoignition	No data available
Flammability (solid, gas)	No data available		
Environmental		<u>-</u>	
Octanol/Water Partition coefficient	No data available		

Section 10: Stability and Reactivity

Reactivity Chemical stability

- · Non-reactive under normal handling and storage conditions.
- Stable

Possibility of hazardous reactions

· Hazardous polymerization will not occur.

Conditions to avoid

• Direct sunlight. Do not freeze. Excessive heat >110°F. Heat, sparks, open flame, other ignition sources, and oxidizing conditions.

Incompatible materials

Store away from oxidizers.



2016-09

Hazardous decomposition products

• Carbon dioxide and possibly carbon monoxide.

Section 11 - Toxicological Information

Information on toxicological effects

Components			
Pyrethrins (1%)	8003- 34-7	Acute Toxicity: Ingestion/Oral-Rat, adult female LD50 • 1030 mg/kg; Ingestion/Oral-Rat, adult male LD50 • 2370 mg/kg; Inhalation-Rat LC50 • 3.4 mg/L; Skin-Rat LD50 • 2000 mg/kg	
Piperonyl butoxide (2%)	51-03- 6	Acute Toxicity: Ingestion/Oral-Rat • 4300 mg/kg; Inhalation-Rat • >5 mg/L 4 Hour(s); Skin-Rat LD50 • >2000 mg/kg; Irritation: Eye-Rabbit • Essentially non-irritating; Skin-Rabbit • Essentially non-irritating	
N-Octyl Bicyloheptene Dicarboximide (2.94%)	113-48- 4	Acute Toxicity: Ingestion/Oral-Rat LD50 • 2800 mg/kg; Skin-Rabbit LD50 • 470 mg/kg	

GHS Properties	Classification	
Acute toxicity	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met	
Skin corrosion/Irritation	OSHA HCS 2012 • Skin Irritation 2	
Serious eye damage/Irritation	OSHA HCS 2012 • Classification criteria not met	
Skin sensitization	OSHA HCS 2012 • Skin Sensitizer 1	
Respiratory sensitization	OSHA HCS 2012 • Classification criteria not met	
Aspiration Hazard	OSHA HCS 2012 • Aspiration 1	
Carcinogenicity	OSHA HCS 2012 • Classification criteria not met	
Germ Cell Mutagenicity	OSHA HCS 2012 • Not classified - data lacking	
Toxicity for Reproduction	OSHA HCS 2012 • Classification criteria not met	
STOT-SE	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects	
STOT-RE	OSHA HCS 2012 • Classification criteria not met	

Potential Health Effects

Inhalation

Acute (Immediate) • May cause drowsiness and dizziness.

Chronic (Delayed) • No data available

Skin

Acute (Immediate)• May cause an allergic reaction in individuals with a sensitivity to piperonyl butoxide.

Causes skin irritation.

Chronic (Delayed) • No data available

Eye

Acute (Immediate) • May cause moderate irritation.

Chronic (Delayed) • No data available

Format: GHS Language: English (US)



2016-09

Ingestion

Acute (Immediate)

 Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema.

Chronic (Delayed)
Mutagenic Effects

· No data available

 Piperonyl butoxide was not genotoxic in several tests, including the Amesmutagenicity assay, chromosome aberration in Chinese hamster ovary (CHO) cells, CHO/HGPRT assay with S9 activation and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells. Pyrethrins were not found to be genotoxic and did not damage DNA in any study conducted which included: Ames assay, chromosome aberration in Chinese hamster ovaries (CHO) cells and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells.

Carcinogenic Effects

Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA.
 Pvrethrins are not listed as a carcinogen by OSHA, IARC, or NTP.

Reproductive Effects

 Pyrethrins did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits.

Section 12 - Ecological Information

Toxicity

Components				
Pyrethrins (1%)	8003-34-7	Aquatic Toxicity-Fish: 96 Hour(s) LC50 Rainbow trout 0.0051 mg/L [Acute] 96 Hour(s) LC50 Sheepshead minnow 0.016 mg/L [Acute] 96 Hour(s) NOEC Fathead minnow 0.0019 mg/L [Chronic] NOEC Sheepshead minnow 0.0059 mg/L [estimated chronic] Aquatic Toxicity-Crustacea: NOEC Daphnia magna 0.00086 mg/L [Chronic] NOEC Mysid shrimp 0.0001 mg/L [Estimated chronic] 96 Hour(s) LC50 Mysid Shrimp 0.0014 mg/L [Acute] 48 Hour(s) LC50 Water Flea Daphnia magna 0.0116 mg/L [Acute]		
N-Octyl Bicyloheptene Dicarboximide (2.94%)	113-48-4	Aquatic Toxicity-Fish: LC50 1.4-2.4 mg/L [Acute] Aquatic Toxicity-Crustacea: 48 Hour(s) LC50 Daphnia magna 2.3 mg/L [Acute]		
Distillates (petroleum), hydrotreated light (93.93%)	64742-47- 8	Aquatic Toxicity-Fish: 96 Hour(s) LC50 Rainbow Trout 2.9 mg/L [Acute] 96 Hour(s) LC50 Lepomis macrochirus 2.2 mg/L [Acute]		

Persistence and degradability

 Pyrethrins have low persistence in the environment due to rapid breakdown in presence of UV light.

Bioaccumulative potential

No data available.

Mobility in Soil

Pyrethrins are relatively immobile in soil.

Format: GHS Language: English (US)



2016-09

Other adverse effects

Potential Environmental Effects

• This product is toxic to aquatic organisms, including fish and invertebrates.

Section 13 - Disposal Considerations

Waste treatment methods

Product waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Do not contaminate water by disposal.

Packaging waste

• Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. See product label for disposal instructions.

Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not Applicable	Not regulated in packaging < 100 lbs.	Not Applicable	Not Applicable	Not Applicable
БОТ	UN1268	Packaging 100 Lbs. or greater: Petroleum distillates, n.o.s.	Comb.Liq.	III	RQ = 1 lb. Pyrethrins
IMO/IMDG	UN3082	Packaging 5 L or greater: Environmentally Hazardous Substance, Liquid, n.o.s. (Pyrethrins and Piperonyl butoxide)	9	III	Marine Pollutant
IATA/ICAO	UN3082	Packaging 5 L or greater: Environmentally Hazardous Substance, Liquid, n.o.s. (Pyrethrins and Piperonyl butoxide)	9	III	Acute Aquatic Toxicity

Special precautions for user

· None specified.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

and the IBC Code
Other information

No data available



2016-09

DOT • Environmental Hazards: RQ (Pyrethrins = 1 lb).

IMO/IMDG • No data available **IATA/ICAO** • No data available

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture SARA Hazard Classifications • SARA Title III Section 313, Acute

FIFRA - Pesticide Labeling

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

CAUTION

Precautionary Statements • KEEP OUT OF THE REACH OF CHILDREN.

Hazards to Humans and • Domestic Animals

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing.

First Aid •

If in eyes •Hold eye open and rinse slowly and gently with water for 15-20 minutes. •Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. •Call a Poison Control Center or doctor for treatment advice. If swallowed •Immediately call a Poison Control Center or doctor. • Do not give any liquid to the person. •Do not induce vomiting unless told to by a Poison Control Center or doctor. •Do not give anything by mouth to an unconscious person. If on skin or clothing •Take off contaminated clothing. •Rinse skin immediately with plenty of water for 15-20 minutes. •Call a Poison Control Center or doctor for treatment advice.NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.

Environmental Hazards •

This product is toxic to aquatic organisms, including fish and invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.



2016-09

Physical or Chemical • Do not use or store near heat or open flame **Hazards**

Inventory		
Component	CAS	TSCA
Distillates (petroleum), hydrotreated light	64742-47-8	Yes
N-Octyl Bicyloheptene Dicarboximide	113-48-4	No
Piperonyl butoxide	51-03-6	Yes
Pyrethrins	8003-34-7	No

United States

Environment — U.S CERCLA/SARA - Hazardous Substances and their Reportable Quantities		
• Pyrethrins	8003-34-7	1 lb final RQ (listed under <u>Pyrethrins</u>); 0.454 kg final RQ
Distillates (petroleum), hydrotreated light	64742-47-8	(listed under <u>Pyrethrins</u>) Not Listed
N-Octyl Bicyloheptene Dicarboximide	113-48-4	Not Listed
Piperonyl butoxide	51-03-6	Not Listed
LO CERCIA/OARA Ocation 242 Emission Removies		
J.S CERCLA/SARA - Section 313 - Emission Reporting • Pyrethrins	8003-34-7	Not Listed
Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
N-Octyl Bicyloheptene Dicarboximide	113-48-4	Not Listed
Piperonyl butoxide	51-03-6	1.0 % de minimis concentration

Section 16 - Other Information

Disclaimer/ Statement of Liability

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.