

**1. Identification**

**Product identifier** Brandt MonoPlex Mix  
**Other means of identification**  
**Product code** 23004  
**Recommended use** Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.  
**Recommended restrictions** Refer to product label.

**Manufacturer/Importer/Supplier/Distributor information****Manufacturer**

**Company name** Brandt Consolidated, Inc.  
**Address** 2935 South Koke Mill Road  
Springfield, IL 62711  
United States  
**Telephone** Corporate Office 1-217-547-5800  
**Website** www.brandt.co  
**E-mail** msds@brandt.co  
**Contact person** EH&S / Regulatory Department  
**Emergency phone number** CHEMTREC (24 hours):  
USA, Canada, Puerto Rico 1-800-424-9300  
Virgin Islands 1-800-424-9300  
International Maritime +1 (703) 527-3887

**2. Hazard(s) identification**

**Physical hazards** Not classified.  
**Health hazards** Acute toxicity, oral Category 4  
Acute toxicity, dermal Category 4  
Serious eye damage/eye irritation Category 1  
Reproductive toxicity Category 2  
Specific target organ toxicity, repeated exposure Category 2  
**Environmental hazards** Hazardous to the aquatic environment, acute hazard Category 1  
Hazardous to the aquatic environment, long-term hazard Category 1  
**OSHA defined hazards** Not classified.  
**Label elements**



**Signal word** Danger  
**Hazard statement** Harmful if swallowed. Harmful in contact with skin. Causes serious eye damage. Suspected of damaging fertility or the unborn child. May cause damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.  
**Precautionary statement**  
**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wear eye/face protection.

<b>Response</b>	If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see this label). Rinse mouth. Take off contaminated clothing and wash before reuse. Collect spillage.
<b>Storage</b>	Store locked up.
<b>Disposal</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
Leonardite		68525-81-5	20 - < 30*
Zinc Sulfate		7733-02-0	10 - < 20*
Ammonium Sulfate		7783-20-2	5 - < 10*
Copper Sulfate (pentahydrate)		7758-99-8	5 - < 10*
Disodium Octaborate Tetrahydrate		12008-41-2	5 - < 10*
Manganese Sulfate, monohydrate		10034-96-5	5 - < 10*
Other components below reportable levels			30 - < 40

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

<b>Inhalation</b>	If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention immediately. Continue rinsing.
<b>Ingestion</b>	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye irritation. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Material can be slippery when wet.
<b>Fire-fighting equipment/instructions</b>	Use water spray to cool unopened containers.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Material can be slippery when wet. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not breathe dust. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of dust from the spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

### Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike far ahead of spill for later disposal. If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Following product recovery, flush area with water. Sweep up or vacuum up spillage and collect in suitable container for disposal. Minimize dust generation and accumulation. For waste disposal, see section 13 of the SDS.

### Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get this material in contact with eyes. Do not taste or swallow. Avoid breathing dust. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Pregnant or breastfeeding women must not handle this product. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Practice good housekeeping. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m <sup>3</sup>

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m <sup>3</sup>	Inhalable fraction.
	TWA	2 mg/m <sup>3</sup>	Inhalable fraction.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m <sup>3</sup>	Inhalable fraction.
		0.02 mg/m <sup>3</sup>	Respirable fraction.

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Copper Sulfate (pentahydrate) (CAS 7758-99-8)	TWA	1 mg/m <sup>3</sup>	Dust and mist.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m <sup>3</sup>	Fume.
	TWA	1 mg/m <sup>3</sup>	Fume.

### Biological limit values

No biological exposure limits noted for the ingredient(s).

<b>Appropriate engineering controls</b>	Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. Provide eyewash station.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Use tight fitting goggles if dust is generated. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
<b>Respiratory protection</b>	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>Appearance</b>	Solid. Granular.
<b>Physical state</b>	Solid.
<b>Form</b>	Granular.
<b>Color</b>	Brown.
<b>Odor</b>	Not available.
<b>Odor threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Salt-Out / Crystallization Temp</b>	Not available.
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	Not available.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	6.9 hPa estimated
<b>Vapor density</b>	Not available.
<b>Relative density</b>	44.34 lb/ft <sup>3</sup> (typical)
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.

<b>Possibility of hazardous reactions</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion</b>	Harmful if swallowed.
<b>Inhalation</b>	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure by inhalation. Inhalation of dusts may cause respiratory irritation.
<b>Skin contact</b>	Harmful in contact with skin.
<b>Eye contact</b>	Causes serious eye damage. Dust in the eyes will cause irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye irritation. Permanent eye damage including blindness could result.

### Information on toxicological effects

**Acute toxicity** Harmful in contact with skin. Harmful if swallowed.

Product	Species	Test Results
Brandt MonoPlex Mix (CAS Mixture)		
<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	28011.2051 mg/kg estimated
	Rat	73710.9766 mg/kg estimated
<i>Oral</i>		
LD100	Mouse	3150.8264 mg/kg estimated
LD50	Guinea pig	74229.6953 mg/kg estimated
	Mouse	1449.7041 mg/kg estimated
	Rat	4156.5771 mg/kg estimated
<i>Other</i>		
LD100	Mouse	1508.2644 mg/kg estimated
LD50	Mouse	661.157 mg/kg estimated
	Rabbit	133.3333 g/kg estimated
<b>Components</b>	<b>Species</b>	<b>Test Results</b>

Copper Sulfate (pentahydrate) (CAS 7758-99-8)

<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	960 mg/kg
<i>Other</i>		
LD50	Rabbit	> 8 g/kg

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

<b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Oral</i>		
LD50	Guinea pig	5300 mg/kg
	Rat	> 2000 mg/kg
		2 g/kg

Components	Species	Test Results
Manganese Sulfate, monohydrate (CAS 10034-96-5)		
<b>Acute</b>		
<i>Oral</i>		
LD100	Mouse	305 mg/kg
<i>Other</i>		
LD100	Mouse	146 mg/kg
LD50	Mouse	64 mg/kg

Zinc Sulfate (CAS 7733-02-0)

**Acute**

*Dermal*

LD50 Rat > 2000 mg/kg

*Oral*

LD50 Rat 623 mg/kg

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.  
**Serious eye damage/eye irritation** Causes serious eye damage. Dust in the eyes will cause irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity**

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.

**12. Ecological information**

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Product	Species	Test Results
Brandt MonoPlex Mix (CAS Mixture)		
<b>Aquatic</b>		
Crustacea	EC50 Daphnia	74.0432 mg/l, 48 hours estimated
Fish	LC50 Fish	10.7011 mg/l, 96 hours estimated

Components	Species		Test Results
Ammonium Sulfate (CAS 7783-20-2)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	52 - 67 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	35.2 - 43.8 mg/l, 96 hours
Copper Sulfate (pentahydrate) (CAS 7758-99-8)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia magna)	0.0058 - 0.0073 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	0.66 - 1.15 mg/l, 96 hours
Manganese Sulfate, monohydrate (CAS 10034-96-5)			
<b>Aquatic</b>			
Crustacea	EC50	Water flea (Daphnia obtusa)	30.8 - 44.1 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	36.9 mg/l, 96 hours
			29.7 - 52.7 mg/l, 192 hours
Zinc Sulfate (CAS 7733-02-0)			
<b>Aquatic</b>			
Algae	LC50	Green algae (Chlorella vulgaris)	5 mg/l, 24 hours
Crustacea	EC50	Amphipod (Crangonyx pseudogracilis)	15.1 - 24.5 mg/l, 96 hours
		Rotifer (Philodina acuticornis)	0.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10.62 - 11.3 mg/l, 5 days
			0.168 - 0.25 mg/l, 96 hours
		Fish (Lepidocephalichthyes guntea)	76 - 118.8 mg/l, 24 hours

\* Estimates for product may be based on additional component data not shown.

<b>Persistence and degradability</b>	No data is available on the degradability of this product.
<b>Bioaccumulative potential</b>	Not available.
<b>Mobility in soil</b>	No data available.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 260 lbs (118 kg). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value.

<b>DOT</b>	
<b>UN number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substances, solid, n.o.s. (Copper Sulfate (pentahydrate) RQ = 260)
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-

<b>Label(s)</b>	9
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Special provisions</b>	8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33
<b>Packaging exceptions</b>	155
<b>Packaging non bulk</b>	213
<b>Packaging bulk</b>	240

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.

#### IATA

<b>UN number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substances, solid, n.o.s. (Copper Sulfate (pentahydrate))
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Label(s)</b>	9
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.
<b>Other information</b>	
<b>Passenger and cargo aircraft</b>	Forbidden.
<b>Cargo aircraft only</b>	Forbidden.

#### IMDG

<b>UN number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substances, solid, n.o.s. (Copper Sulfate (pentahydrate))
<b>Transport hazard class(es)</b>	
<b>Class</b>	9
<b>Subsidiary risk</b>	-
<b>Label(s)</b>	9
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	Yes
<b>EmS</b>	Not available.
<b>Special precautions for user</b>	Read safety instructions, SDS and emergency procedures before handling.


**General information** Not DOT regulated in domestic (USA ground) transportation in package sizes less than 260 lbs (118 kg). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value.

#### DOT; IATA; IMDG





## Marine pollutant



## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed.

Zinc Sulfate (CAS 7733-02-0) Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories**  
Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** No

### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Zinc Sulfate	7733-02-0	10 - < 20
Ammonium Sulfate	7783-20-2	5 - < 10
Copper Sulfate (pentahydrate)	7758-99-8	5 - < 10
Manganese Sulfate, monohydrate	10034-96-5	5 - < 10

## Other federal regulations

### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

## US state regulations

### US. Massachusetts RTK - Substance List

Ammonium Sulfate (CAS 7783-20-2)

Copper Sulfate (pentahydrate) (CAS 7758-99-8)

Zinc Sulfate (CAS 7733-02-0)

### US. New Jersey Worker and Community Right-to-Know Act

Copper Sulfate (pentahydrate) (CAS 7758-99-8)

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Zinc Sulfate (CAS 7733-02-0)

### US. Pennsylvania Worker and Community Right-to-Know Law

Ammonium Sulfate (CAS 7783-20-2)

Copper Sulfate (pentahydrate) (CAS 7758-99-8)

Zinc Sulfate (CAS 7733-02-0)

#### US. Rhode Island RTK

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Zinc Sulfate (CAS 7733-02-0)

#### US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

**Issue date** 01-25-2016

**Revision date** 02-01-2016

**Version #** 02

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its own tests of the Product to determine suitability of the Product for user's particular use.

#### Revision Information

Hazard(s) identification: Supplemental information  
Transport information: General information