

SAFETY DATA SHEET

1. Identification

Product identifier	Elicitor Plus	
Other means of identification		
Product Number	148	
Recommended use	Not available.	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name	Grigg Brothers	
Address	P.O. Box 128	
	Albion, ID 83311	
Telephone	General Assistance	888-246-8873
		208-673-6340
E-mail	info@griggbros.com	
Emergency phone number	Poison Control	800-222-1222

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Acute toxicity, inhalation	Category 4
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Warning
Hazard statement	Harmful if swallowed. Harmful in contact with skin. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Avoid breathing mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear eye protection/face protection.
Response	If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Rinse mouth. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If eye irritation persists: Get medical advice/attention.
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

8.25% of the mixture consists of component(s) of unknown acute oral toxicity. 9.95% of the mixture consists of component(s) of unknown acute dermal toxicity.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
UREA		57-13-6	1.7
TRADE SECRET*		Proprietary*	0.71
COPPER (II) SULFATE PENTAHYDRATE		7758-99-8	0.23
MANGANESE SULPHATE		7785-87-7	0.18
ZINC SULFATE		7733-02-0	0.16
TRADE SECRET*		Proprietary*	0.05
TRADE SECRET*		Proprietary*	0.02
TRADE SECRET*		Proprietary*	0.01
Other components below report	able levels		96.93096101

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical advice/attention if you feel unwell. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Inform appropriate managerial or supervisory personnel of all environmental releases. Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Do not taste or swallow. When using, do not eat, drink or smoke. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices. Wash contaminated clothing before reuse.	
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).	

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
MANGANESE SULPHATE (CAS 7785-87-7)	Ceiling	5 mg/m3	
TRADE SECRET	PEL	5 mg/m3	
US. ACGIH Threshold Limit Value	S		
Components	Туре	Value	Form
COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
MANGANESE SULPHATE (CAS 7785-87-7)	TWA	0.1 mg/m3	Inhalable fraction.
· · · ·		0.02 mg/m3	Respirable fraction.
TRADE SECRET	TWA	1 mg/m3	
		0.5 mg/m3	Respirable fraction.
		0.1 mg/m3	Inhalable fraction.
		0.02 mg/m3	
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	Form
COPPER (II) SULFATE PENTAHYDRATE (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
MANGANESE SULPHATE (CAS 7785-87-7)	STEL	3 mg/m3	Fume.
· ·	TWA	1 mg/m3	Fume.
TRADE SECRET	TWA	1 mg/m3	
		0.015 mg/m3	

US. Workplace Environm Components	ental Exposure L	evel (WEEL) Guides Type	Va	alue	Form
UREA (CAS 57-13-6)		TWA	10) mg/m3	Total particulate.
Biological limit values					
ACGIH Biological Exposi	ure Indices				
Components	Value	Determinant	Specimen	Sampling T	ime
TRADE SECRET	15 μg/l	Cobalt	Urine	*	
	1 μg/l	Cobalt	Blood	*	
* - For sampling details, pl	ease see the sourc	ce document.			
Appropriate engineering controls	should be ma or other engir exposure limi eyewash stat	atched to conditions. If an neering controls to maint ts have not been establision.	oplicable, use pro ain airborne leve shed, maintain a	ocess enclosur els below recon	e used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level. Provide
Individual protection measure Eye/face protection		onal protective equipme s recommended. Wear s		th side shields	(or goggles).
Skin protection Hand protection	Wear approp supplier.	riate chemical resistant ç	gloves. Suitable	gloves can be	recommended by the glove
Other	Wear approp	riate chemical resistant o	clothing. Use of a	an impervious a	apron is recommended.
Respiratory protection	In case of ins	ufficient ventilation, wea	r suitable respira	tory equipmen	t.
Thermal hazards	Wear approp	riate thermal protective o	lothing, when ne	ecessary.	
General hygiene considerations	washing after work clothing		nd before eating, nt to remove cor	drinking, and/	ene measures, such as or smoking. Routinely wash ntaminated work clothing

9. Physical and chemical properties

· · · ·) · · · · · · · · · · · · · · ·	
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Dark brown
Odor	Not available.
Odor threshold	Not available.
рН	5.6
Melting point/freezing point	Not available.
Initial boiling point and boiling	Not available.
range	
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	87.09 % estimated
Specific gravity	1.09
VOC (Weight %)	1.47 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

internation on intery realed or s	
Inhalation	Harmful if inhaled.
Skin contact	Harmful in contact with skin. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	Harmful if inhaled. Harmful in contact with skin. Harmful if swallowed. May cause an allergic skin
	reaction.

Components	Species	Test Results
COPPER (II) SULFATE P	PENTAHYDRATE (CAS 7758-99-8)	
<u>Acute</u>		
Oral		
LD100	Mouse	50 mg/kg
LD50	Rat	960 mg/kg
MANGANESE SULPHAT	E (CAS 7785-87-7)	
Acute		
Oral		
LD100	Mouse	305 mg/kg
TRADE SECRET		
Acute		
Oral		
LD50	Mouse	584 mg/kg
	Rabbit	1800 mg/kg
	Rat	424 mg/kg

Components	Species		Test Results	
UREA (CAS 57-13-6)				
<u>Acute</u>				
Oral				
LD50	Rat		8471 mg/kg	
	Sheep		28500 mg/kg	
ZINC SULFATE (CAS 7733-02-0))			
Acute				
Dermal LD50	Dat		. 2000 malka	
	Rat		> 2000 mg/kg	
Oral LD50	Mouse		EZ malka	
ED30			57 mg/kg	
	Rat		623 mg/kg	
* Estimates for product may b	be based on ad	ditional component data not shown.		
Skin corrosion/irritation		kin contact may cause temporary irrita	tion.	
Serious eye damage/eye	Causes serio	ous eye irritation.		
rritation				
Respiratory or skin sensitizatio				
Respiratory sensitization	•	tory sensitizer.		
Skin sensitization Germ cell mutagenicity	•	n allergic skin reaction.	p_{1}	
denni cen mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.			
IARC Monographs. Overall	Evaluation of	Carcinogenicity		
TRADE SECRET (CAS I OSHA Specifically Regulate	• • •	1 Carcinogenic to h (29 CFR 1910.1001-1050)	numans.	
Not listed.		enert en Careinerene		
US. National Toxicology Pro TRADE SECRET (CAS F		Known To Be Hum	an Caroinagon	
TRADE SEGNET (CAST	Tophetary)		pated to be a Human Carcinogen.	
Reproductive toxicity	This product	is not expected to cause reproductive	or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspira	ation hazard.		
Chronic effects	Prolonged inhalation may be harmful.			
12. Ecological information	n			
Ecotoxicity	Harmful to a	quatic life with long lasting effects.		
Components		Species	Test Results	
COPPER (II) SULFATE PEN	TAHYDRATE (CAS 7758-99-8)		
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	0.0058 - 0.0073 mg/l, 48 hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	0.66 - 1.15 mg/l, 96 hours	
MANGANESE SULPHATE (C	CAS 7785-87-7)			
Aquatic				

Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7.09 - 9.36 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	24.3 - 38.9 mg/l, 96 hours

Components		Species	Test Results
TRADE SECRET			
Aquatic			
Crustacea	EC50	Rotifer (Philodina acuticornis)	7.1 mg/l, 48 hours
		Tubificid worm (Tubifex tubifex)	42.48 - 65.64 mg/l, 48 hours
Fish	LC50	Carp (Cyprinus carpio)	5.79 - 6.54 mg/l, 96 hours
		Fathead minnow (Pimephales promelas)	2.67 - 4.57 mg/l, 96 hours
		Striped bass (Morone saxatilis)	> 79.8 mg/l, 96 hours
UREA (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Giant gourami (Colisa fasciata)	5 mg/l, 96 hours
ZINC SULFATE (CAS 7	733-02-0)		
Aquatic			
Crustacea	EC50	Rotifer (Philodina acuticornis)	0.3 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.162 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)		
UREA	-2.11	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Not regulated.		
CERCLA Hazardous Substa	nce List (40 CFR 302.4	4)
		Listed. Listed.
TRADE SECRET (CAS F ZINC SULFATE (CAS 77		Listed.
SARA 304 Emergency relea	,	
Not regulated. OSHA Specifically Regulate	ed Substances (29 CFR	R 1910.1001-1050)
Not listed.		
Superfund Amendments and Re Hazard categories	eauthorization Act of 1 Immediate Hazard - Y Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	/es
SARA 302 Extremely hazaro Not listed.	dous substance	
SARA 311/312 Hazardous chemical	No	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	n 112 Hazardous Air Po	ollutants (HAPs) List
MANGANESE SULPHAT TRADE SECRET (CAS F Clean Air Act (CAA) Section	Proprietary)	ease Prevention (40 CFR 68.130)
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations		
US. California Controlled S	ubstances. CA Departr	nent of Justice (California Health and Safety Code Section 11100)
Not listed. US. California. Candidate C (a))	hemicals List. Safer Co	onsumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.
TRADE SECRET (CAS F		
US. Massachusetts RTK - S		
COPPER (II) SULFATE TRADE SECRET (CAS F ZINC SULFATE (CAS 77	Proprietary)	7758-99-8)
US. New Jersey Worker and	,	Know Act
COPPER (II) SULFATE I MANGANESE SULPHAT TRADE SECRET (CAS F	TE (CAS 7785-87-7) Proprietary)	7758-99-8)
ZINC SULFATE (CAS 77 US. Pennsylvania Worker a		o-Know I aw
COPPER (II) SULFATE I		
TRADE SECRET (CAS F ZINC SULFATE (CAS 77	Proprietary)	
US. Rhode Island RTK		
MANGANESE SULPHAT		
TRADE SECRET (CAS F ZINC SULFATE (CAS 77		
US. California Proposition 6 WABNING: This product		own to the State of California to cause cancer.
•		ate/Carcinogenic substance
TRADE SECRET (C		Listed: May 20, 2005 Listed: May 7, 2004
Material name: Elicitor Plus		SDS L
148 Version #: 01 Issue date: 02-		8/

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	02-17-2016
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.