

# Safety Data Sheet SPAINT™ SPORTS TURF PAINT

Safety Data Sheet dated: 7/23/2015 - version 5 Date of first edition: 5/7/2015

# **1. IDENTIFICATION**

#### **Product identifier**

Substance Identification:

Trade name: SPAINT<sup>™</sup> SPORTS TURF PAINT

#### Other means of identification:

Trade code: 620

#### Recommended use of the chemical and restrictions on use

Recommended use: Industrial color additive

Restrictions on use: Not available

# Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Turfgrass Management, Inc. d/b/a Grigg Brothers PO BOX 128 Albion, IDAHO (USA) Phone: 1-208-673-6340 / Fax: 1-866-519-3265

# **Emergency telephone number**

(CHEMTREC): 1-800-424-9300

# 2. HAZARD(S) IDENTIFICATION

This mixture has not been tested as a whole. It contains ingredients which could be released from the mixture in concentrations which would exceed an established OSHA permissible exposure limit or ACGIH Threshold Limit Value, or could present a health risk to employees.



## Classification of the chemical

Carc. 2 Suspected of causing cancer if inhaled. This product contains carbon black. In it's original dry powder form, carbon black is known to cause respiratory issues and cancer in animals. As an aqueous dispersion, it is not expected to be an inhalation hazard under normal use. The customer is responsible for using proper personal protective equipment when using this product and understanding their requirements under OSHA based on their use of this product.

Aquatic Acute 3 Harmful to aquatic life

Aquatic Chronic Harmful to aquatic life with long lasting effects.

# 3

Label elements

Symbols:



Code Description Suspected of causing cancer if inhaled. This product contains carbon black. In it's original dry powder H351.1 form, carbon black is known to cause respiratory issues and cancer in animals. As an aqueous dispersion, it is not expected to be an inhalation hazard under normal use. The customer is responsible for using proper personal protective equipment when using this product and understanding their requirements under OSHA based on their use of this product. H402 Harmful to aquatic life Harmful to aquatic life with long lasting effects. H412 Code Description P201 Obtain special instructions before use.

P202	Do not handle until all safety precautions have been read and understood.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P405	Store locked up.
P501	Dispose of contents/container in accordance with all applicable regulations.

## Ingredient(s) with unknown acute toxicity:

None

#### Hazards not otherwise classified identified during the classification process:

None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substances

Hazard classification within the meaning of 29 CFR 1910.1200:

## Mixtures

#### Not Available

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Qty	Name	Ident. Numb.	Classification	Registration Number
0.5-1 %	SURFYNOL DF-75	CAS:187820-64-0	Skin Irrit. 2, H315; Eye Irrit. 2B, H320; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
0.25-0.5 %	VEGETABLE CARBON	CAS:1333-86-4 EC:215-609-9	Carc. 2, H351.A; STOT R 2, H373.A	E 01-2119384822-32-xxxx

# **4. FIRST AID MEASURES**

#### **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing and shoes.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash thoroughly the body (shower or bath).

Immediately remove any contaminated clothing, shoes or stockings.

## In case of eye contact: Wash immediately with water.

In case of ingestion:

Do not induce vomiting, get medical attention showing the MSDS and label hazardous.

# In case of inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### Most important symptoms/effects, acute and delayed

#### Not Available

Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### **5. FIRE-FIGHTING MEASURES**

#### **Extinguishing media**

Suitable extinguishing media:

Water, CO2, foam, chemical powders, according to the materials involved in the fire.

In case of fire, use foam, dry chemical, CO2.

# Unsuitable extinguishing media:

None in particular.

# Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

Hazardous combustion products: Not Available

Explosive properties: Not Available

Oxidising properties: Not Available

# Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

# **6. ACCIDENTAL RELEASE MEASURES**

#### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

## Methods and material for containment and cleaning up

Suitable material for taking up: dry and inert absorbing material (e.g. vermiculite, sand, earth).

Wash with plenty of water.

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

#### Conditions for safe storage, including any incompatibilities

#### Storage temperature: Not Available

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION Control parameters

## **Community Occupational Exposure Limits (OEL)**

Component	OEL Type	Country	Long Term mg/m3	Long Term ppm	Short Term mg/m3	Short Term ppm	Notes
VEGETABLE CARBON	OSHA		3.5				
	ACGIH		3				A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans;bronchitis;

Appropriate engineering controls: Not Available

#### Individual protection measures

Eye/face protection:

Use close fitting safety goggles, don't use eye lens.

Skin protection:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or synthetic rubber.

#### Hand protection:

Use protective gloves that provide comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Control worker exposure to below detectable levels. However, if an effective ventilation system is not in use, use a NIOSH-approved respirator for organic vapors and/or dusts. Where appropriate, use closed systems to transfer and process this material. If appropriate, isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. Use local exhaust as required to capture all airborne vapors and dust.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Liquid Appearance: Liquid, Odour: Not Available Odour threshold: Not Available pH: 9.00 Melting point/ range: Not Available Boiling point/ range: Not Available Flash point: > 100°C / 212°F Evaporation rate: Not Available Upper/lower flammability or explosive limits: Not Available Vapour density: Not Available Vapour pressure (20°C): Not Available Density (20°C): Not Available Water solubility: Not Available Lipid solubility: Not Available Partition coefficient (n-octanol/water): Not Available Auto-ignition temperature: Not Available Decomposition temperature: Not Available Viscosity (20°C): Not Available Explosive properties: Not Available Oxidising properties: Not Available Flammability (Solid, Gas): Not Available

#### Other information

Substance group relevant properties: Not Available Miscibility: Not Available Fat Solubility: Not Available Conductivity: Not Available

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Data not Available.

# **Chemical stability**

Data not Available.

# Possibility of hazardous reactions

Burning produces carbon monoxide and/or carbon dioxide.

#### **Conditions to avoid**

Data not Available.

#### Incompatible materials

Data not Available.

## Hazardous decomposition products

Data not Available.

# **11. TOXICOLOGICAL INFORMATION**

# Information on toxicological effects

## **Toxicological Information of the Preparation**

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

#### Toxicological information on main components of the mixture:

VEGETABLE CARBON

b) skin corrosion/irritation Skin Irritant Rabbit No
c) serious eye
damage/irritation
a) acute toxicity
LD50 Oral Rat > 15400mg/kg

## TOXICITY\_APPENDIX\_DESCR\_GEN

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

# Substance(s) listed on the IARC Monographs:

VEGETABLE CARBON

Group 2B

# Substance(s) listed as OSHA Carcinogen(s): VEGETABLE CARBON

## Substance(s) listed as NIOSH Carcinogen(s):

VEGETABLE CARBON

#### Substance(s) listed on the NTP report on Carcinogens:

None

#### **12. ECOLOGICAL INFORMATION**

#### Toxicity

Adopt good working practices, so that the product is not released into the environment.

# Persistence and degradability

Persistence/Degradability: Not Available

# **Bioaccumulative potential**

Bioaccumulative: Not Available

#### Mobility in soil

Mobility in soil: Not Available

#### Other adverse effects

Not Available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Any disposal practice must be in compliance with local, state and federal laws and regulations (contact local or state environmental agency for specific rules). Do not dump into sewers, any body of water or onto the ground.

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

## **14. TRANSPORT INFORMATION**

#### **UN number**

ADR-UN number: N/A DOT-UN Number: N/A IATA-Un number: N/A IMDG-Un number: N/A

#### **UN** proper shipping name

ADR-Shipping Name: N/A DOT Proper Shipping Name: N/A IATA-Technical name: N/A IMDG-Technical name: N/A

# Transport hazard class(es)

ADR-Class: N/A DOT Hazard Class: N/A IATA-Class: N/A IMDG-Class: N/A

#### Packing group

ADR-Packing Group: N/A Exempted for ADR: N/A IATA-Packing group: N/A IMDG-Packing group: N/A

# **Environmental hazards**

Marine pollutant: No Environmental Pollutant: Not Available

#### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not Available

# Special precautions

Department of Transportation (DOT/TDG): DOT-Special Provision(s): N/A DOT Label(s): N/A DOT Symbol: N/A DOT Cargo Aircraft: N/A DOT Passenger Aircraft: N/A DOT Bulk: N/A DOT Non-Bulk: N/A

Road and Rail (ADR-RID): ADR-Label: N/A ADR-Upper number: N/A ADR Tunnel Restriction Code: N/A

Air (IATA): IATA-Passenger Aircraft: N/A IATA-Cargo Aircraft: N/A IATA-Label: N/A IATA-Sub Risk: N/A IATA-Erg: N/A IATA-Special Provisioning: N/A Sea (IMDG): IMDG-Stowage Code: N/A IMDG-Sub Risk: N/A IMDG-Sub Risk: N/A IMDG-Special Provisioning: N/A IMDG-Page: N/A

IMDG-Label: N/A IMDG-EMS: N/A IMDG-MFAG: N/A

#### **15. REGULATORY INFORMATION**

#### **USA - Federal regulations**

#### **TSCA - Toxic Substances Control Act**

#### **TSCA inventory:**

All the components are listed on the TSCA inventory

#### **TSCA listed substances:**

SURFYNOL DF-75	is listed in TSCA	Section 8b
VEGETABLE CARBON	is listed in TSCA	Section 8b

#### SARA - Superfund Amendments and Reauthorization Act

#### Section 302 - Extremely Hazardous Substances:

no substances listed

#### Section 304 - Hazardous substances:

no substances listed

#### Section 313 - Toxic chemical list:

no substances listed

#### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

#### Substance(s) listed under CERCLA:

no substances listed

#### CAA - Clean Air Act

## CAA listed substances:

no substances listed

# CWA - Clean Water Act

CWA listed substances:

no substances listed

## **USA - State specific regulations**

California Proposition 65

## Substance(s) listed under California Proposition 65:

VEGETABLE CARBON

Listed as carcinogen

#### Massachusetts Right to know

## Substance(s) listed under Massachusetts Right to know:

VEGETABLE CARBON

## Pennsylvania Right to know

## Substance(s) listed under Pennsylvania Right to know:

VEGETABLE CARBON

## New Jersey Right to know

## Substance(s) listed under New Jersey Right to know:

## VEGETABLE CARBON

L1. This product contains a chemical that is on the Proposition 65 list of chemicals known to the State of California to cause cancer (carbon black). However, a Proposition 65 warning is required for carbon black only when it is present in the form of airborne, unbound particles of respirable size (mass median aerodynamic diameter 10 microns or smaller). Per the State of California, exposure to carbon black for the purposes of Proposition 65 does not occur when it remains bound within a product matrix, such as rubber, ink or paint (http://www.oehha.org/prop65/prop65\_list/files/22103not.pdf). Because the carbon black contained in this product is bound within a liquid dispersion matrix, a Proposition 65 warning is not applicable to this product in its supplied form. The customer is responsible for determining whether its use of this product could result in exposure of any person(s) to airborne, unbound carbon black particles of respirable size and for providing any required Proposition 65 warning to any such person(s).

# CANADA:

## DSL-list (Canada)

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

# **16. OTHER INFORMATION**

Code	Descr	iptio	n	
	_			

- H315 Causes skin irritation.
- H320 Causes eye irritation
- H351.1 Suspected of causing cancer if inhaled. This product contains carbon black. In it's original dry powder form, carbon black is known to cause respiratory issues and cancer in animals. As an aqueous dispersion, it is not expected to be an inhalation hazard under normal use. The customer is responsible for using proper personal protective equipment when using this product and understanding their requirements under OSHA based on their use of this product.
- H351.A Suspected of causing cancer if inhaled.
- H373.A May cause damage to organs through prolonged or repeated exposure if inhaled.
- H400 Very toxic to aquatic life.
- H402 Harmful to aquatic life
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Safety Data Sheet dated: 7/23/2015 - version 5

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. The information relates only to the specific material and may not be valid for such material used in combination with any other material or in any process.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

# Legend to abbreviations and acronyms used in the safety data sheet:

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- RID: Regulation Concerning the International Transport of Dangerous Goods by Rail
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA)
- ICAO: International Civil Aviation Organization
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

- CLP: Classification, Labeling, Packaging
- EINECS: European Inventory of Existing Commercial Chemical Substances
- INCI: International Nomenclature of Cosmetic Ingredients
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

GefStoffVO: Ordnance on Hazardous Substances, Germany

- LC50: Lethal concentration, for 50 percent of test population
- LD50: Lethal dose, for 50 percent of test population
- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration
- TLV: Threshold Limiting Value
- TWATLV: Threshold Limiting Value for the Time Weighted Average 8 hour day.(ACGIH Standard)
- STEL: Short Term Exposure limit

# STOT: Specific Target Organ Toxicity

WGK: German Water Hazard Class

KSt: Explosion coefficient

# Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/ UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 4. FIRST AID MEASURES
- 11. TOXICOLOGICAL INFORMATION
- 16. OTHER INFORMATION